

000-316 Practice Test

IBM IBM WebSphere Integration Developer V6.1

000-316: IBM WebSphere Integration Developer V6.1

Practice Exam: 000-316 Exams

Exam Number/Code: 000-316

Exam Name: IBM WebSphere Integration Developer V6.1

Questions and Answers: 114 Q&As

(IBM certifications I)



Exam : [000-316](#)

For candidates making preparation for the IBM 000-316 questions and answers, what they most desire is to easily pass the 000-316 (IBM

WebSphere Integration Developer V6.1) exam. ItCertHome 000-316 includes 114 questions and answers, which are collected and collated by experts of IBM. With our 000-316 study materials, you can successfully take IBM certification of 000-316 exam and go further on IBM career path.

Free 000-316 Demo

we provide IBM 000-316 demo exam for free (in PDF format) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

ItCertHome Test tool's advantages:

High Quality and Value of 000-316 exam

ItCertHome IBM IBM certifications I 000-316 Practice Questions is developed and finished by IBM technical team , cover every field of the exam . Besides, we have verified 000-316 answers,almost 100% correct.

100% Guarantee to Pass 000-316 Exam

We promise to give you FULL REFUND if you fail the IBM certifications I 000-316 certification(IBM Certified Network Associate) with the use of our ItCertHome testing engine.

000-316 Self Test Mode

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 000-316 to ensure enough assurance in real testing center.

Periodic Updates of ItCertHome 000-316

Once there is some change on IBM 000-316 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications I 000-316** examination of original title complete coverage.ItCertHome **000-316 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

We promised that use ItCertHome Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 000-316 Q&A are more than 96%.All you need to study the whole 000-316 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 000-316 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 000-316 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 000-316 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

IBM 000-316 Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the IBM certifications I certified topic, in there, you will see all related IBM certifications I certified subject of examination.

000-316

ItCertHome professional provide IBM certifications I 000-316 the newest Q&A, completely covers 000-316 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-316 tests on Your First Try, 100% Money Back Guarantee included!

This 000-316 PDF demo do not include the questions and answers's picture:

Exam : IBM 000-316

Title : IBM WebSphere Integration Developer V6.1

1. After some initialization, a long running business process needs further input from the client. The process should only wait for a certain period of time. If that time has passed without further user input, default processing should start. Which BPEL construct can most effectively handle this situation?

- A. Receive choice with a timeout element
- B. Receive activity with a parallel wait activity
- C. Receive choice with a subsequent wait activity
- D. Receive activity with expiration properties defined

Answer: A

2. What can be determined about the interface operations in the Exhibit?

- A. The two services are using identical interfaces.
- B. A Move map operation must be performed on the input and output business objects.
- C. The source and target interface operations have identical input and output parameters.
- D. The source and the target interface operations have incompatible input and output business object types.

Answer: D

3. Which statement is always true about generating predefined events from monitorable component elements?

- A. They are stored in the Event database.
- B. They are Web Service requests via SOAP/HTTP.
- C. They are consumed by WebSphere Business Monitor.
- D. They are based on the Common Base Event specification.

Answer: D

4. A developer needs to interact with third-party messaging middleware. Which binding should be used?

- A. JMS
- B. MQ JMS
- C. Generic JMS

D. Web service - SOAP over JMS

Answer: C

5. In a mediation flow, the call out Response node's fail terminal is not wired and an unmodeled fault is received. What is the expected behavior of the mediation flow?

- A. A mediation runtime exception will occur.
- B. A mediation business exception will occur.
- C. A mediation configuration exception will occur.
- D. Since the fail terminal is not wired, the mediation flow stops execution without raising any exception.

Answer: A

6. A business rule applies a graduated discount rate based on an input customer's total purchases over the past year. How should the business rule be implemented?

- A. As a rule set
- B. As a rule group
- C. As a decision table
- D. As a business rule bean

Answer: A

7. Which two conditions must be met in a cyclic flow within a business process?

- A. There must be at least one cycle.
- B. Only one activity is executed at a time.
- C. Activities with more than one incoming link must have a join condition.
- D. There must be exactly one start activity (that is one activity directly enclosed in the cyclic flow with no incoming link.)

Answer: BD

8. An insurance company is building a state machine for accident claims processing. Before a claim can be paid, an accident investigator must sign off on any filed claims. If an investigator rejects a claim, the claim should be returned to the agent that filed the claim for further processing. Which statements describe an approach that should be considered?

- A. Create states called Claim and Investigate. Transition from Investigate to Claim when a claim is rejected.
- B. Create states called Claim, Investigate, and Reclaim. Transition from Investigate to Reclaim when a claim is rejected.
- C. Create states called Claim and Investigate. Transition from Investigate to Terminate when a claim is rejected. Restart the state machine on a rejection and return to Claim.
- D. Create a state called Process. Transition to a human task called Investigate for the investigator. Transition from the human task to Final state. Restart the state machine on a rejection and return to Process.

Answer: A

9. The process shown in the Exhibit returns the value of a global variable "number" to the client.

The variable is initialized by an assign activity with 0. Snippet1 and Snippet2 each increase the value of "number" by 1. Snippet3 in the event handler increases "number" by 10. Each wait activity waits for 30 seconds. During execution of the first wait activity an event is sent to the processes' event handler.

Which type of result can the client expect?

- A. An exception is thrown back to the client.
- B. The message is ignored. The process returns 2.
- C. The message is stored and processed as soon as the event handler's scope is started. The process returns 12.
- D. The process hangs with a deadlock as the message is processed immediately and blocks the variable "number" until the scope of the event handler is started. This variable "number" is required by Snippet1 for write access.

Answer: C

10. In which situation is a failed event generated in case of a runtime exception in the called component?

- A. A business process calls a one way service asynchronously.
- B. A business process calls a request/response service asynchronously.
- C. A one-way business process is initiated by the Business Flow Manager API client.
- D. A request/response business process is initiated by the Business Flow Manager API client.

Answer: A

11. Why would an integration developer select the "Requires Own" option on a BPEL activity?

- A. To force a retry of the current activity in case of an error
- B. To force a retry of the previous activities in case of an error
- C. To prevent a retry of the current activity in case of an error
- D. To prevent a retry of the previous activities in case of an error

Answer: D

12. Why would an integration developer uncheck the "Enable persistence and queries of business relevant data" flag on a BPEL activity in a long-running business process?

- A. To prevent emission of CEI events
- B. To prevent emission of audit log events
- C. To improve performance by avoiding activity related data to be persisted to the database
- D. To prevent monitoring of activity related business data with the BPC Observer application

Answer: C

13. An integration developer is building a composite application that will access an Enterprise Information System (EIS). The EIS can be accessed via either a Web Service or a JCA adapter. Under which two conditions should the developer choose to implement a JCA adapter rather than a Web Service?

- A. The EIS import needs to be part of an end-to-end J2EE security model.
- B. The developer needs to programmatically access the associated data binding.
- C. The developer wants to utilize an existing WebSphere MQ infrastructure for assured message delivery.
- D. The EIS does not support transactions but composite application requires assured delivery on all calls to the EIS.
- E. The composite application requires that multiple endpoints are available to the EIS for load balancing and failover purposes.

Answer: AD

14. Given the selector in the Exhibit, which statement is true regarding the selector and its configuration?

- A. The selector configuration is incorrect because Component4 is not referenced.
- B. The selector configuration is correct and Component1 will be invoked on April 27, 2008.
- C. The selector configuration is incorrect because Component3 is used incorrectly in the component schedule.
- D. The selector configuration is correct and Component1, Component2, Component3, and Component4 must all have the same interface.

Answer: B

15. How does the business process in the Exhibit behave?

- A. The process finishes successfully.
- B. The process hangs after the evaluation of the first case condition and cannot complete.
- C. The process is invalid because the choice activity does not have an otherwise condition and cannot be deployed.
- D. During process execution an exception is thrown after the invoke activity because the otherwise clause is missing.

Answer: A

16. An integration developer needs to access an HTTP SOAP header in a mediation flow. How should an XPath expression begin so it can access the HTTP SOAP header?

- A. /headers/SOAPHeader
- B. /SMOHeader/SOAPHeader
- C. /headers/Envelope/Header
- D. /SMOHeader/Envelope/Header

Answer: A

17. Why would an integration developer use Java snippets in a business process?

- A. A developer would use Java snippets for general tasks. A Java snippet's implementation is fixed and cannot be viewed or modified by the user.
- B. A developer would use Java snippets to create a snippet that captures a specific behavior. A Java snippet can then be used within other snippets.
- C. A developer would use Java snippets to call an arbitrary Java method directly. A Java snippet can also be used to invoke constructors and access fields.
- D. A developer would use Java snippets to link and unlink tasks within a business process diagram. A Java snippet can be called at both development or runtime.

Answer: C

18. An infrastructure monitoring application fires asynchronous JMS alert messages when problems are detected. An application developer has created a JMS export and is writing a short-running business process to take action on the alerts. If alerts are processed out of sequence, problem determination will be flawed. Which action should be taken by the integration developer?

- A. Insure that the business process is set to long-running.
- B. From the Admin console, set the WebSphere Process Server default thread pool size to 1.
- C. From the Admin console, modify the export's activation spec to set maximum concurrency to 1.
- D. On the export binding, set the Message Configuration's Asynchronous reliability to "assured".

Answer: C

19. An integration developer wants to restrict who can start a business process when using the BusinessFlowManager API to start the process. What is one way this can be accomplished?

- A. Restrict the role BPEAPIUser on the ProcessContainer application to the designated group.
- B. Add a human task assigned to the designated group of potential starters on the Administration tab of the processes properties.
- C. Add a human task assigned to the designated group of potential starters on the Authorization tab of the respective receive activity.
- D. Put a standalone invocation task assigned to the designated group of potential starters in front of the process in the assembly editor.

Answer: C

20. The Exhibit shows the Interfaces used in a mediation flow. A mediation flow checks driving records of job applicants by calling various state-level Motor Vehicle services. All services use the same interface (MotorVehicleInterface). The addressState attribute determines which state service will be called. The mediation interface (MediationInterface) does not always contain addressState, but the addressZipCode attribute is mandatory and can be used to determine the state. It is desired to track how many times each of the various state services are called.

Which mediation flow is best suited to accomplish this task?

- A. Filter > (terminal1)Logger > Callout
> (terminal2)XSLT > Logger > Callout
- B. Filter > (terminal1)Logger > Callout
> (terminal2)DBLookup > Logger > Callout
- C. Logger > Filter > (terminal1)Callout
> (terminal2)XSLT > Callout
- D. Logger > Filter > (terminal1)Callout
> (terminal2)DBLookup > Callout

Answer: B

More [000-316 practice test](#)

Related 000-316 Exams

<u>000-974</u>	<i>Power Systems Technical Support for i</i>
<u>000-223</u>	<i>IBM System p Administrator</i>
<u>000-377</u>	<i>Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration</i>
<u>000-015</u>	<i>IBM Maximo Asset Management V7.1 Implementation</i>
<u>000-990</u>	<i>Test 990, IBM Web Sphere Bus Modeler Adv V6.0, Bus Anl+Design</i>
<u>000-417</u>	<i>IBM Web Sphere Information Analyzer v8.0</i>
<u>000-669</u>	<i>SOA Fundamentals (2008)</i>
<u>000-316</u>	<i>IBM Web Sphere Integration Developer V6.1</i>
<u>000-667</u>	<i>IBM Test 667, Architectural Design of SOA Solutions</i>
<u>000-913</u>	<i>informix 4gl development</i>
<u>000-936</u>	<i>IBM Tivoli Access Manager for e-business V6.1 Implementation</i>
<u>000-431</u>	<i>IBM Tivoli Storage Manager V5.5 Administration</i>
<u>000-084</u>	<i>Modular Systems High Performance Servers</i>
<u>000-994</u>	<i>Test994,IBM Web Sphere MQ V6.0, System Administration</i>
<u>000-908</u>	<i>Tivoli Monitoring V6.2 Implementation</i>
<u>000-111</u>	<i>IBM Distributed Systems Storage Solutions Version 7</i>
<u>000-017</u>	<i>Foundations of Tivoli process automation engine V7.1</i>
<u>000-113</u>	<i>IBM Storage Solution Design Entry/Midrange DS Series V1</i>
<u>000-207</u>	<i>High End Taps Solutions Version 5</i>
<u>000-011</u>	<i>IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation</i>

Other IBM Exams

<u>LOT-735</u>	<u>000-296</u>	<u>000-018</u>	<u>000-M30</u>	<u>000-257</u>	<u>000-891</u>	<u>000-017</u>	<u>000-445</u>
<u>000-112</u>	<u>000-435</u>	<u>LOT-801</u>	<u>000-P02</u>	<u>000-630</u>	<u>000-R13</u>	<u>000-702</u>	<u>000-071</u>
<u>000-740</u>	<u>000-737</u>	<u>000-J02</u>	<u>000-221</u>				