

000-734 Practice Test

IBM DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

000-734: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

Practice Exam: 000-734 Exams

Exam Number/Code: 000-734

Exam Name: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

Questions and Answers: 102 Q&As

(IBM certifications II)



Exam : [000-734](#)

For candidates making preparation for the IBM 000-734 questions and answers, what they most desire is to easily pass the 000-734 (DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows) exam. ItCertHome 000-734 includes 102 questions and answers, which are collected and collated by experts of IBM. With our 000-734 study materials, you can successfully take IBM certification of 000-734 exam and go further on IBM career path.

Free 000-734 Demo

we provide IBM 000-734 demo exam for free (in PDF format) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

ItCertHome Test tool's advantages:

High Quality and Value of 000-734 exam

ItCertHome IBM IBM certifications II 000-734 Practice Questions is developed and finished by IBM technical team , cover every field of the exam . Besides, we have verified 000-734 answers,almost 100% correct.

100% Guarantee to Pass 000-734 Exam

We promise to give you FULL REFUND if you fail the IBM certifications II 000-734 certification(IBM Certified Network Associate) with the use of our ItCertHome testing engine.

000-734 Self Test Mode

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 000-734 to ensure enough assurance in real testing center.

Periodic Updates of ItCertHome 000-734

Once there is some change on IBM 000-734 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM IBM certifications II 000-734** examination of original title complete coverage.ItCertHome **000-734 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

We promised that use ItCertHome Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 000-734 Q&A are more than 96%.All you need to study the whole 000-734 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the

certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 000-734 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 000-734 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 000-734 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

IBM 000-734 Test belongs to one of the IBM certifications II certified test, if needs to obtain the IBM certifications II certificate, you also need to participate in other related test, the details you may visit the IBM certifications II certified topic, in there, you will see all related IBM certifications II certified subject of examination.

000-734

ItCertHome professional provide IBM certifications II 000-734 the newest Q&A, completely covers 000-734 test original topic. With our complete IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-734 tests on Your First Try, 100% Money Back Guarantee included!

This 000-734 PDF demo do not include the questions and answers's picture:

Exam : IBM 000-734

Title : DB2 9 Advanced DB Administrator for Linux, UNIX, and Windows

1. When is the connection concentrator enabled?

- A. When the value of MAX_CONNECTIONS is greater than the value of MAX_COORDAGENTS.
- B. When the value of MAX_AGENTS is greater than the value of MAX_CLIENTS.
- C. When the value of NUM_AGENTS is greater than the value of MAX_AGENTS.
- D. When the value of NUM_CONNECTIONS is greater than the value of NUM_COORDAGENTS.

Answer: A

2. A database administrator needs to create a table with key columns C1 (i.e. YearDay), C2, and C This table needs to be partitioned by column C1 with three months per data partition. Additionally, data needs to be organized by columns C2 and C3, so that all rows within any three month date range are clustered together based on 12 months of data. Which CREATE TABLE statement will accomplish this objective?

A. CREATE TABLE tab1

(c1 INT,

c2 CHAR(2),

c3 INT,

c4 CHAR(2))

PARTITION BY RANGE (c2) (STARTING 200601 ENDING 200612 EVERY 3)

ORGANIZE BY DIMENSIONS (c2, c3))

B. CREATE TABLE tab1

(c1 INT,

c2 CHAR(2),

c3 INT,

c4 CHAR(2))

PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)

ORGANIZE BY DIMENSIONS (c2, c3))

C. CREATE TABLE tab1

(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c2))

D. CREATE TABLE tab1

(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c3))

Answer: B

3. A database administrator needs to update a table named TRANSACT by removing February 2005 data and replacing it with February 2007 data. What are the proper steps, in the correct order, required to accomplish this?

- A. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) SET INTEGRITY FOR transact
- B. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '01/01/2007' ENDING '02/28/2007' FROM new table
4) SET INTEGRITY FOR transact
- C. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) RUNSTATS ON TABLE transact
- D. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) REORG TABLE transact

Answer: A

4. Which data organization schemes are supported?

- A. PARTITION BY HASH and ORGANIZE BY
- B. PARTITION BY RANGE and ORGANIZE BY KEY SEQUENCE
- C. PARTITION BY HASH and ORGANIZE BY KEY SEQUENCE
- D. PARTITION BY RANGE and ORGANIZE BY

Answer: D

5. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1, C2 and C3 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);
CREATE INDEX xtab2 ON tab1 (c2) INCLUDE (c3);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2, c3);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c3, c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1, c3);

Answer: B

6. Which registry variable should be set to keep the buffer pools in memory on AIX and Linux?

- A. DB2_KEEP_BP
- B. DB2_PINNED_BP
- C. DB2MEMDISCLAIM
- D. DB2MEMMAXFREE

Answer: B

7. Given a SHEAPTHRES value of 2560, in which two cases will a SHEAPTHRES_SHR value of 1024 be meaningful?
(Choose two.)

- A. INTRA_PARALLEL NO
- B. MAX_CONNECTIONS 2000, MAX_COORDAGENTS 100
- C. MAX_AGENTS 100, MAX_CONNECTIONS 2000
- D. MAX_CONNECTIONS 500, MAX_COORDAGENTS 1000
- E. INTRA_PARALLEL YES

Answer: BE

8. Which server houses the database partitions in the AIX BCU V2.1?

- A. IBM System p5 570
- B. IBM System p5 575
- C. IBM System p5 590
- D. IBM System p5 595

Answer: B

9. A database administrator would like to examine repartitioning options for a partitioned database named PRODDB. A workload has been captured on the system (Windows) and is stored in a file named WORKLOAD.SQL. What is the proper command to run the Design Advisor so that it will evaluate the information stored in the file and give advice on re-partitioning?

- A. db2adviz -d proddb -i workload.sql -P
- B. db2adviz -d proddb -i workload.sql -partitioning
- C. db2adviz -d proddb -i workload.sql -m P
- D. db2adviz -d proddb -i workload.sql -m ALL

Answer: C

10. If the sort heap threshold parameter SHEAPTHRES_SHR is set to a value of 0, what will happen?

- A. All sorts will be done in a temporary table space.
- B. The shared sort memory allocation will be calculated by DB2.
- C. No shared memory is allocated for sorting.
- D. All sorts will be done in shared memory.

Answer: D

11. Which statement is true about clustering indexes in a DPF environment?

- A. The partitioning key columns should be added to all indexes with the INCLUDE option.
- B. It is not possible to have a clustering index in a DPF environment.
- C. The index columns should be prefixed by the partitioning key columns.
- D. The partitioning key columns should be added immediately after the column in the index with the highest cardinality.

Answer: C

12. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1 and C2 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) include (c2);

- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);
CREATE INDEX xtab2 ON tab1 (c3) INCLUDE (c2);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1);

Answer: A

13. Which procedure will successfully configure the memory areas within a database, including buffer pools, to use the Self Tuning Memory Manager (STMM)?

- A. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.
2) Set the relevant configuration parameters within the database configuration file to AUTOMATIC.
3) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.
- B. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.
2) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.
- C. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.

Answer: A

14. A database administrator wants to design a multi-partition database that can take advantage of both intra-partition parallelism and inter-partition parallelism. Which configuration will allow the use of these types of parallelism while using the least number of hardware components (servers, processors)?

- A. one server having at least two processors
- B. two servers having one processor and one logical database partition
- C. one server having four processors and two logical database partitions
- D. two servers each having four processors and two logical database partitions

Answer: C

15. If the ADD DBPARTITIONNUM command is used to add a new database partition to an existing DB2 instance, which statement is correct?

- A. All existing databases in the instance are expanded to the new database partition but data cannot be stored on the new partition until it has been added to a partition group.
- B. Database partition groups within existing databases will automatically include the new database partition and will redistribute their existing data to the new partition.
- C. Any single partition databases within the instance will automatically become multi-partition databases once the new partition is added to the instance.
- D. A database administrator would need to modify the db2nodes.cfg file to complete the addition of the new partition to the instance.

Answer: A

16. A batch application executes a large number of update statements. The service level agreement for the application states that the application must complete its work as quickly as possible to ensure that dependent workloads can start on time. What is one way to help the application complete quickly?

- A. Code the application to issue a LOCK TABLE statement.
- B. Code the application to issue a LOCK ROW statement.
- C. Decrease the number of I/O servers.
- D. Increase the locklist parameter.

Answer: A

17. When a database administrator chooses the dimensions for an MDC table, which two characteristics should be considered? (Choose two.)

- A. the query transaction rate
- B. numeric data versus character data
- C. extent size
- D. the cardinality of the candidate columns
- E. prefetch size

Answer: CD

18. What would indicate intra-partition parallelism in an Optimizer Plan?

- A. BTQ
- B. LTQ
- C. IP
- D. DTQ

Answer: B

19. Which action(s) will cause a compression dictionary to be removed from a table?

- A. Set the table COMPRESS attribute to NO.
- B. Set the table COMPRESS attribute to NO; run REORG against the table.
- C. Set the table COMPRESS attribute to NO; run INSPECTRESETDICTIONARY against the table.
- D. Set the table COMPRESS attribute to NO; run RUNSTATS against the table.

Answer: B

20. In which two environments would intra-partition parallelism be used? (Choose two.)

- A. Single database partition, single processor
- B. Single database partition, multiple processors
- C. Multiple database partitions, single processor
- D. Multiple database partitions, multiple processors

Answer: BD

More [000-734 practice test](#)

Related 000-734 Exams

[000-331](#) Power Systems Sales for AIX and Linux

[000-253](#) Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-351](#) ibm eserver i5 iseries single system adminsitration v5r3

[000-647](#) Rational Performance Tester

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-443](#) db2 content manager v8.3

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

[000-631](#) rational-clearcase for unix

[000-918](#) System Administration for IBM Informix Dynamic Server V11

[000-649](#) Rarional Software Architect

[000-284](#) Test 284, IBM Wbs. DataPower SOA Appliances, Fimware v3.6.0

[000-798](#) ibm tivoli monitoring for transaction perf v5.2 implement

[000-971](#) System i Administrator V5.07.11

[000-664](#) Test664.SOA Fundamentals

[000-637](#) rational-requirements management with use cases-part2

[000-484](#) enterprise connectivity with j2ee v1.3

[000-635](#) rational-fundamentals of rational rose

Other IBM Exams

<u>000-648</u>	<u>000-807</u>	<u>000-237</u>	<u>000-m27</u>	<u>000-357</u>	<u>000-233</u>	<u>000-385</u>	<u>000-779</u>
<u>000-235</u>	<u>000-397</u>	<u>000-M37</u>	<u>LOT-950</u>	<u>000-972</u>	<u>000-903</u>	<u>000-441</u>	<u>000-818</u>
<u>000-R06</u>	<u>000-900</u>	<u>000-875</u>	<u>000-773</u>				