

000-735 Practice Test

IBM DB2 9.5 SQL Procedure Developer

000-735: DB2 9.5 SQL Procedure Developer

Practice Exam: 000-735 Exams

Exam Number/Code: 000-735

Exam Name: DB2 9.5 SQL Procedure Developer

Questions and Answers: 99 Q&As
(DB2)



Exam : [000-735](#)

For candidates making preparation for the IBM 000-735 questions and answers, what they most desire is to easily pass the 000-735 (DB2 9.5 SQL Procedure Developer) exam. ItCertHome 000-735 includes 99 questions and answers, which are collected and collated by experts of IBM. With our 000-735 study materials, you can successfully take IBM certification of 000-735 exam and go further on IBM career path.

Free 000-735 Demo

we provide IBM 000-735 demo exam for free (in PDF format) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

ItCertHome Test tool's advantages:

High Quality and Value of 000-735 exam

ItCertHome IBM DB2 000-735 Practice Questions is developed and finished by IBM technical team , cover every field of the exam . Besides, we have verified 000-735 answers,almost 100% correct.

100% Guarantee to Pass 000-735 Exam

We promise to give you FULL REFUND if you fail the DB2 000-735 certification(IBM Certified Network Associate) with the use of our ItCertHome testing engine.

000-735 Self Test Mode

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 000-735 to ensure enough assurance in real testing center.

Periodic Updates of ItCertHome 000-735

Once there is some change on IBM 000-735 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **IBM DB2 000-735** examination of original title complete coverage.ItCertHome **000-735 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

We promised that use ItCertHome Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 000-735 Q&A are more than 96%.All you need to study the whole 000-735 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 000-735 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 000-735 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 000-735 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[IBM 000-735](#) Test belongs to one of the DB2 certified test, if needs to obtain the DB2 certificate, you also need to participate in other related test, the details you may visit the DB2 certified topic, in there, you will see all related DB2 certified subject of examination.

000-735

ItCertHome professional provide DB2 000-735 the newest Q&A, completely covers 000-735 test original topic. With our complete DB2 resources, you will minimize your DB2 cost and be ready to pass your 000-735 tests on Your First Try, 100% Money Back Guarantee included!

This 000-735 PDF demo do not include the questions and answers's picture:

Exam : IBM 000-735

Title : DB2 9.5 SQL Procedure Developer

1. Which statement will successfully create an SQL procedure that returns the name of the current month?

A. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

SET (today = CURRENT_DATE);

SET month = MONTHNAME(today);

END

B. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

SELECT (CURRENT_DATE) INTO today;

SET month = MONTHNAME(today);

END

C. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

DECLARE today DATE;

VALUES (CURRENT_DATE) INTO today;

SET month = MONTHNAME(today);

END

D. CREATE PROCEDURE proc.current_month(OUT month VARCHAR(20))

BEGIN

SET month = MONTHNAME(SELECT (CURRENT_DATE))

END

Answer: C

2. Which statement can be used to define an array of 30 names that have a maximum size of 25 characters each?

A. CREATE TYPE names AS VARCHAR(25) ARRAY[30];

- B. CREATE ARRAY names[30] VARCHAR(25);
- C. CREATE TYPE names[30] VARCHAR(25);
- D. CREATE ARRAY names AS VARCHAR(25);

Answer: A

3. Given the SQL statement shown below:

```
DECLARE test CURSOR FOR
SELECT hiredate
FROM employee
FOR UPDATE;
```

Which statement correctly describes the cursor that is created?

- A. The cursor will be considered a read-only cursor.
- B. The cursor can only be used to perform positioned updates.
- C. The cursor can only be used to perform positioned deletes.
- D. The cursor can be used to perform positioned updates and deletes.

Answer: D

4. What will be the initial value of V_MAX in the declaration statement shown below?

```
DECLARE v_max DECIMAL(9,2);
```

- A. 0.0
- B. 2
- C. 9
- D. NULL

Answer: D

5. Which statement should be used to declare an array with at most 10 elements of type INTEGER?

- A. DECLARE sub_total INTEGER[10];
- B. DECLARE sub_total[10] INTEGER;
- C. CREATE TYPE sub_total AS INTEGER[10];
- D. CREATE TYPE sub_total[10] AS INTEGER;

Answer: C

6. Given the variable declaration shown below:

```
DECLARE v_mydate DATE;
```

Which statement will assign a value to the variable V_MYDATE?

- A. VALUES CURRENT TIME INTO v_mydate;
- B. VALUES CURRENT TIMESTAMP INTO v_mydate;
- C. SELECT CURRENT TIMESTAMP INTO v_mydate FROM SYSIBM.SYSDUMMY1;
- D. SELECT CURRENT DATE INTO v_mydate FROM SYSIBM.SYSDUMMY1;

Answer: D

7. Given the statements shown below:

```
DECLARE c_dept CURSOR WITH HOLD FOR
SELECT * FROM dept;
OPEN c_dept;
```

Which two conditions are true? (Choose two.)

- A. C_DEPT will remain open after a ROLLBACK.
- B. C_DEPT will remain open after a COMMIT.
- C. C_DEPT will be returned to the caller of the routine.
- D. C_DEPT will be positioned before the next logical row.
- E. All locks held by C_DEPT will be released after a COMMIT.

Answer: BD

8. Which steps must be followed to return a result set from an SQL procedure?

- A. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
2. Declare the cursor.
3. Open the cursor in the SQL procedure.
4. Close the cursor.
5. Return to the application.
- B. 1. Create the procedure using the DYNAMIC RESULT SETS clause.
2. Declare the cursor using the WITH RETURN clause.
3. Open the cursor in the SQL procedure.
4. Return to the application.
- C. 1. Create the procedure using the WITH RETURN clause.
2. Declare the cursor using the DYNAMIC RESULT SETS clause.
3. Open the cursor in the SQL procedure.
4. Return to the application.
- D. 1. Create the procedure using the WITH RETURN clause.
2. Declare the cursor using the DYNAMIC RESULT SETS clause.
3. Open the cursor in the SQL procedure.
4. Close the cursor.

Answer: B

9. Given the statement shown below:

```
SELECT ROW CHANGE TOKEN FOR dept, RID_BIT (dept)
FROM dept WHERE deptno = 'A00' WITH UR
```

Which two statements are true? (Choose two.)

- A. The statement is selecting two columns from DEPT table.
- B. The statement will allow the latest ROW CHANGE TOKEN value to be returned.
- C. The statement will allow the earliest ROW CHANGE TOKEN value to be returned.
- D. The statement will return a TIMESTAMP value.
- E. The statement uses optimistic locking.

Answer: BE

10. What are two valid DECLARE statements in an SQL procedure? (Choose two.)

- A. DECLARE var1 INTEGER;
- B. DECLARE var1 DECIMAL [9];
- C. DECLARE var1 XML;
- D. DECLARE var1 CURRENT DATE;
- E. DECLARE var1[10] INTEGER;

Answer: AC

11. What demonstrates the correct syntax for assigning three rows to the EMPNO, FIRSTNAME, and LASTNAME columns of a table named EMPLOYEE?

- A. INSERT INTO employee (empno, firstname, lastname)
VALUES (100, 200, 300, 'John', 'Jane', 'Paul', 'Doe', 'Smith', 'Jones')
- B. INSERT INTO employee (empno, firstname, lastname)
VALUES (100, 'John', 'Doe'), (200, 'Jane', 'Smith'), (300, 'Paul', 'Jones')
- C. SET (empno, firstname, lastname)
VALUES (100, 200, 300, 'John', 'Jane', 'Paul', 'Doe', 'Smith', 'Jones')
FOR employee
- D. SET (empno, firstname, lastname)
VALUES (100, 'John', 'Doe'), (200, 'Jane', 'Smith'), (300, 'Paul', 'Jones')
FOR employee

Answer: B

12. Click the Exhibit button.

```
CREATE PROCEDURE testproc( IN i1 INT, INOUT i3 INT)
SPECIFIC testproc
BEGIN
SET i3 = i1;
END
CREATE PROCEDURE testproc( IN i1 INT, INOUT i2 INT, INOUT i3 INT)
SPECIFIC testp
BEGIN
SET i3 = i1 * i2;
END
```

Given that the statements in the exhibits have executed successfully, which solution contains the complete set of commands that could be used to drop both procedures in the order presented?

- A. DROP PROCEDURE testp;
DROP PROCEDURE testproc;
- B. DROP PROCEDURE testp;
DROP PROCEDURE testproc;
- C. DROP SPECIFIC PROCEDURE testproc;
DROP PROCEDURE testproc;
- D. DROP PROCEDURE testproc(INT);
DROP PROCEDURE testproc(INT);

Answer: C

13. Click the Exhibit button.

```
CREATE FUNCTION sum(a INT, b INT)
RETURNS INTEGER
SPECIFIC sum_of_2
RETURN a + b;
CREATE FUNCTION sum(a INT, b INT, c INT)
RETURNS INTEGER
SPECIFIC sum_of_3
RETURN a + b + c;
```

Given the two functions in the exhibit, what is the correct command to invoke the function which calculates the sum of two numbers from an SQL procedure?

- A. SELECT sum_of_2 FROM table1;
- B. SELECT sum(2,4,?);
- C. SET res_sum = sum(2,6);
- D. CALL sum(?,?,?);

Answer: C

14. What are two valid special registers? (Choose two.)

- A. CURRENT_CLIENT_ACCT
- B. CURRENT_SCHEMA
- C. CURRENT_PATH
- D. CURRENT_DATETIME
- E. CURRENT_PARTITION

Answer: BC

15. Given the variable declaration shown below:

```
DECLARE v_mytime TIME;
Which statement will assign a value to the variable named V_MYTIME?
```

- A. SET v_mytime = TIME;
- B. VALUES CURRENT TIME INTO v_mytime;

C. VALUES CURRENT_TIMESTAMP INTO v_mytime;

D. SET v_mytime = DATE;

Answer: B

16. Which CREATE PROCEDURE statement option should be used if you plan on issuing a DECLARE GLOBAL TEMPORARY TABLE statement from within the SQL procedure body?

A. CONTAINS SQL

B. READS SQL DATA

C. MODIFIES SQL DATA

D. LANGUAGE SQL

Answer: C

17. Click the Exhibit button.

Given the following SQL procedure:

```
CREATE PROCEDURE test1 (IN someid CHAR(3), OUT status INT)
BEGIN
DECLARE SQLCODE INTEGER DEFAULT 0;
DECLARE count INTEGER DEFAULT 0;
SET status = 0;
IF (LENGTH(someid) < 3) THEN
RETURN -3;
GOTO exit;
ELSE
SELECT COUNT(deptno) INTO count FROM dept WHERE admrdept=someid;
IF(SQLCODE<>0) THEN
RETURN -1;
ELSE
SET status = COUNT;
RETURN 0;
END IF;
END IF;
exit:
RETURN -2;
END
```

Where the DEPT table consists of:

```
DEPTNO DEPTNAME
MGRNO ADMRDEPT
```

```
-----
-----
```

A00 SPIFFY COMPUTER SERVICE DIV. 000010 A00

B01 PLANNING 000020 A00

C01 INFORMATION CENTER 000030 A00

D01 DEVELOPMENT CENTER - A00

D11 MANUFACTURING SYSTEMS 000060 D01

D21 ADMINISTRATION SYSTEMS 000070 D01

If the procedure TEST1 shown in the exhibit is called with the value 'A00' specified for the SOMEID parameter, what is the expected return code?

A. 0

B. -1

C. -2

D. -3

Answer: A

18. Which statement can be used to declare a variable inside an SQL procedure that can be used to represent a monetary value?

- A. DECLARE v_money MONEY;
- B. DECLARE v_money DOUBLE;
- C. DECLARE v_money DECIMAL(9,2);
- D. DECLARE v_money CURRENCY;

Answer: C

19. Which statement will change the value of a special register?

- A. UPDATE SPECIAL REGISTER TIME = 12:30:00
- B. UPDATE SPECIAL REGISTER SCHEMA = 'DB2ADMIN'
- C. SET CURRENT TIME = 12:30:00
- D. SET CURRENT SCHEMA = 'DB2ADMIN'

Answer: D

20. Which statement will assign the schema names "SYSIBM", "SYSFUN", "SYSPROC", and "SYSIBMADM" to the CURRENT_PATH special register?

- A. SET PATH = SYSTEM PATH
- B. SET CURRENT_PATH = DEFAULT
- C. SET PATH = SYSTEM DEFAULT
- D. RESET CURRENT PATH

Answer: A

More [000-735 practice test](#)

Related 000-735 Exams

[000-730](#) DB2 9 Fundamentals

[000-355](#) iseries system administration v5r2

[000-731](#) DB2 9 DBA for Linux,UNIX and Windows

[000-732](#) DB2 9 for z/OS Database Administrator

[000-700](#) ib m db2 udb v8.1 family fundametals

[000-735](#) DB2 9.5 SQL Procedure Developer

[000-702](#) db2 udb v8.1 for z/os database administration

[000-442](#) ib m content manager version 8

[000-513](#) db2 udb v7.1 datab ase administration for unix windows % os/2

[000-703](#) db2 udb v8.1 familu application development

[000-701](#) ib m db2 udb v8.1 datab ase admin for linux unix&windows

[000-516](#) db2 udb datab ase administration for os/390

[000-704](#) db2 udb v8.1 advanced db admin for linux,unix+windwos

[000-514](#) db2 udb v7.1 family application development

[000-706](#) db2 v8.1 for linux,unix and windows db admin upgrade

[000-541](#) DB2 9.7 DBA for Linux UNIX and Windows

[000-543](#) DB2 9.7 Application Development

Other IBM Exams

[000-299](#) [000-J03](#) [000-046](#) [COG-142](#) [000-933](#) [LOT-721](#) [000-079](#) [000-818](#)

[000-869](#) [000-377](#) [000-434](#) [000-R11](#) [000-378](#) [000-647](#) [000-025](#) [000-048](#)

[LOT-832](#) [000-885](#) [LOT-825](#) [006-002](#)

