

190-513 Practice Test

Lotus Lotus Using JavaScript in Domino R5 Applications

190-513: Lotus Using JavaScript in Domino R5 Applications

Practice Exam: 190-513 Exams

Exam Number/Code: 190-513

Exam Name: Lotus Using JavaScript in Domino R5 Applications

Questions and Answers: 90 Q&As

(CLP)



Exam : [190-513](#)

For candidates making preparation for the Lotus 190-513 questions and answers, what they most desire is to easily pass the 190-513 (Lotus Using JavaScript in Domino R5 Applications) exam. ItCertHome 190-513 includes 90 questions and answers, which are collected and collated by experts of Lotus. With our 190-513 study materials, you can successfully take Lotus certification of 190-513 exam and go further on Lotus career path.

Free 190-513 Demo

we provide Lotus 190-513 demo exam for free (in PDF format) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

ItCertHome Test tool's advantages:

High Quality and Value of 190-513 exam

ItCertHome Lotus CLP 190-513 Practice Questions is developed and finished by Lotus technical team , cover every field of the exam . Besides, we have verified 190-513 answers,almost 100% correct.

100% Guarantee to Pass 190-513 Exam

We promise to give you FULL REFUND if you fail the CLP 190-513 certification(Lotus Certified Network Associate) with the use of our ItCertHome testing engine.

190-513 Self Test Mode

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 190-513 to ensure enough assurance in real testing center.

Periodic Updates of ItCertHome 190-513

Once there is some change on Lotus 190-513 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Lotus CLP 190-513** examination of original title complete coverage.ItCertHome **190-513 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

We promised that use ItCertHome Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 190-513 Q&A are more than 96%.All you need to study the whole 190-513 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 190-513 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 190-513 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 190-513 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

Lotus 190-513 Test belongs to one of the CLP certified test, if needs to obtain the CLP certificate, you also need to participate in other related test, the details you may visit the CLP certified topic, in there, you will see all related CLP certified subject of examination.

190-513

ItCertHome professional provide CLP 190-513 the newest Q&A, completely covers 190-513 test original topic. With our complete CLP resources, you will minimize your CLP cost and be ready to pass your 190-513 tests on Your First Try, 100% Money Back Guarantee included!

This 190-513 PDF demo do not include the questions and answers's picture:

Exam : Lotus 190-513

Title : Lotus Using JavaScript in Domino R5 Applications

1. Consider the following:

```
<INPUT TYPE=button NAME="submitBtn" VALUE="Submit" onClick="submitMe(this.form)">
```

Which one of the following does the JavaScript event handler do?

- A. It submits the current HTML form.
- B. It submits the current HTML page.
- C. It calls a JavaScript function called submitMe() and passes the form object for the current page.
- D. It calls a JavaScript function called submitMe() and passes the form object for the button object to the function.

Answer: D

2. Danielle has written the following function, which appears in the JS Header of the ShipTo form.

```
function getkeyval()  
{  
<code segment>  
}
```

It opens when the client clicks on the Alternate Ship To address in the Video Order form. The ShipTo form appears in a smaller window allowing the user to select a different ShipTo address for the current order.

Which one of the following best describes how to trigger the function in the ShipTo form and then close the open window?

- A. In the OnChange event of the ShipToAddress field, enter "getkeyval()".
- B. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Other field:
onClick="getkeyval()"
- C. Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Class field:
onClick="getkeyval()"
- D. Create a close link on the form using passthru HTML as follows:

Close

Answer: D

3. When a user clicks on a button and a new window is opened, which one of the following properties refers to the parent window that has generated the new window?

- A. window.top
- B. window.self
- C. window.opener
- D. window.parent

Answer: C

4. The following statements appear in a function Pat is writing to calculate how many weeks before a video is released.

```
if (numDays <= 7 ) // First Condition
{ varMsg = "The video will be released this week";
}
else if((numDays > 7) && (numDays <=14)) // Second Condition
{varMsg = "The video will be released in 2 weeks";
}
else if((numDays > 14) && (numDays <=21)) // Third condition
{varMsg = "The video will be released in 3 weeks";
}
else if((numDays > 21) && (numDays <=28)) // Fourth condition
{varMsg= "The video will be released in 4 weeks";
}
else {varMsg="The video will be released next month";
}
alert(varMsg);
```

When Pat tests the button that calls the function, which one of the following will occur?

- A. If numDays = 7, the first condition will be true, varMsg will equal "The video will be released this week", and the alert statement will execute.
- B. If numDays = 7, the first condition will be true, varMsg will equal "The video will be released this week", and then the following conditions will be tested before the alert statement is executed.
- C. If numDays = 14, the third condition will be true, varMsg will equal "The video will be released in 3 weeks", and then the following conditions will be tested before the alert statement is executed.
- D. If numDays = 21, the third condition will be true, varMsg will equal "The video will be released in 3 weeks", and then the following conditions will be tested before the alert statement is executed.

Answer: A

5. Jon used the @IsMember @Function in his Notes application to search for the word "member" in a line of text. Which one of the following JavaScript string methods would allow him to do a similar thing?

- A. find()
- B. split()
- C. substr()
- D. indexOf()

Answer: D

6. Which one of the following would Jim do to set up a global variable that will hold the initial value of a field on the page?

- A. Declare and set the variable in the onClick event of the field.
- B. Declare and set the variable in the JS Header event of the form.
- C. Declare the variable in the JS Header event of the form and set the value in the onClick event of the field.
- D. Declare the variable in the JS Header event of the form and set the variable in the onLoad event of the form.

Answer: D

7. Bahar is creating a form that will open a new window with a location object. Which one of the following describes the location object?

- A. It contains the URL of a hypertext link.
- B. It is an object under the history object.
- C. It is an object under the document object.
- D. It contains the URL of the current document.

Answer: D

8. Marjorie created the following JavaScript code segment to check whether data had been entered into a required field:

```
var frm=document.forms[0];  
if(frm.LastName.value <missing code> "")
```

Which one of the following operators should she have used for the <missing code>?

- A. =
- B. ==
- C. :=
- D. is

Answer: B

9. Harvey has three numeric, editable fields on his form: unitprice, quantity, and total. He wants to have a button to compute the total. So far he has written:

```
theForm = document.forms[0];  
theForm.total.value = theForm.quantity.value + theForm.unitprice.value;
```

Which one of the following will happen when the user enters 10 in the unitprice field and 30 in the quantity field and the button is pressed?

- A. A JavaScript error will occur.
- B. 300 will be placed in the total field.
- C. 3010 will be placed in the total field.
- D. The Domino Designer will not let Harvey save the form since the above code has an error.

Answer: C

10. Phil has some JavaScript code that he wants to add to a new form he is designing. In R6, he would have put this code in a field named \$\$HTMLHEAD. In which one of the following should he put it using the R5 Designer?

- A. In the same place
- B. In a field named \$\$JSHEADER
- C. In the JS Header event of the Form object
- D. In the HTML Head Content section of the Form object

Answer: C

11. Look at the following button code:

```
var x = 42;  
x = "this is a string";  
alert ("The value of x is " + x);
```

Which one of the following will happen when this code is run?

- A. A "Type Mismatch" error will occur when the button is clicked.
- B. A run-time JavaScript error will occur when the button is clicked.
- C. The Domino Designer will not save the form since there is an error.
- D. An alert will appear with the message "The value of x is this is a string".

Answer: D

12. Look at the following JavaScript code:

```
var textvalue = "This video stars Steve M....";
```

Which one of the following code lines will return the index of the first occurrence of the substring "Steve"?

- A. indexOf ("Steve");
- B. textvalue.mid("Steve");
- C. textvalue.indexOf ("Steve");
- D. textvalue.substring ("Steve");

Answer: C

13. The following code will produce a run-time error:

```
Line 1 {  
Line 2 path=location.pathname.toLowerCase( );  
Line 3 nsfPos=path.indexOf(".nsf");  
Line 4 path=path.substring(0, nsfpos+5);  
Line 5 }
```

Which one of the following lines is incorrect?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

14. Which one of the following describes how variables are declared and typed in JavaScript?

- A. explicit initialization
loosely typed
- B. implicit declaration
loosely typed
- C. implicit declaration
strongly typed
- D. explicit declaration
strongly typed

Answer: B

15. Ann has written the following code in the Submit button onClick event:

```
if(window.document.forms[0].Email.value=="")  
{  
alert("Please enter an email we can use to reply to your question.");  
window.document.forms[0].Email.focus()  
}  
else  
{  
window.document.forms[0].submit()  
}
```

When she runs it, the else statement is never executed. Which one of the following code changes will correct the error?

- A. if(Email.value=="")
- B. if(window.document.forms[0].email.value=="")
- C. if(window.document.forms[0].Email.value=="")
- D. The code is correct. It needs to be moved to the onBlur event of the Email field.

Answer: C

16. Given the following code:

```
var x = document.forms[0];
```

Which one of the following is contained in the variable x?

- A. A form object for the current page.
- B. A document object with the form referrer.

- C. A string that represents the form of the current page.
- D. A string that contains the form name of the current page.

Answer: A

17. Look at the following JavaScript function:

```
function clickButton
{
document.forms[0].submitMe.onClick()
}
```

Which one of the following will this function do?

- A. Run a global JavaScript function named onClick().
- B. Run the onClick event of an object named submitMe.
- C. Place the cursor in an input on the form named submitMe.
- D. Run a JavaScript function named onClick() that is on a form object named submitMe.

Answer: B

18. Edith wants to change a graphic whenever the user passes the cursor over the graphic in a Web browser. Which one of the following describes how she can do this?

- A. She cannot do this; images cannot be changed.
- B. She should write the location (URL) of the new image to the src property of the image in the onSelect event and set it back to the original image in the onMouseUp event.
- C. She should write the location (URL) of the new image to the src property of the image in the onMouseOver event and set it back to the original image in the onMouseOut event.
- D. She should write the location (URL) of the new image to the value property of the image in the onMouseOver event and set it back to the original image in the onMouseUp event.

Answer: C

19. Look at the following application specification. An application's data is entered via either a Web or Notes client. Both clients must have similar functionality. There is a form which displays/allows for data entry of the video. Its name is "Product Description," with the alias "PD." The form also has a facility to make the video available once inventory is checked. When placed in the browser, which one of the following is the NAME attribute of the <FORM> tag for the Product Description form?

- A. "PD"
- B. "_PD"
- C. "_DominoForm"
- D. "Product Description"

Answer: B

20. Which one of the following designated lines has incorrect code?

```
// initialize the variables
secsPerMin = 60; // <LINE A>
var minsPerHour = 60;
var hoursPerDay = 24;
var daysPerYear = 365;
// perform calculations
var secsPerDay = secsPerMin * minsPerHour * hoursPerDay; //<LINE B>
var secsPerYear = secsPerDay * daysPerYear;
document.writeln("<b>There are ");
document.writeln(secsperYear); //<LINE C>
document.writeln(" seconds per year.</b><p>"); //<LINE D>
```

- A. <LINE A>
- B. <LINE B>
- C. <LINE C>

D. <LINE D>

Answer: C

More [190-513 practice test](#)

Related 190-513 Exams

190-959	<i>IBM Websphere Portal 6.1 Application Development</i>
190-980	<i>Lotus Notes Domino 8.5 System Administration Operating Funda</i>
190-956	<i>IBMLotus Notes Domino 8.5 System Administration Update</i>
190-847	<i>IBMLotus Notes Domino 8 System Administration Fundamentals</i>
190-955	<i>IBM Web Sphere Portal 6.1 Deployment and Administration</i>
190-701	<i>IBMLotus Notes Domino Application Development Update</i>
190-801	<i>IBMLotus Notes Domino 8 Application Development Update</i>
190-542	<i>Administering Lotus Sametime 3</i>
190-952	<i>IBMLotus Notes Domino 8.5 Application Development Fundament</i>
190-722	<i>IBMLotus Notes Domino 7 Managing Servers and Users</i>
190-720	<i>IBMLotus Notes Domino 7 SysAdmin Operating Fundamentals</i>
190-737	<i>Lotus Notes Domino 7 LotusScript</i>
190-802	<i>IBMLotus Notes 8 System Administration Update</i>
190-849	<i>IBMLotus Notes Domino 8 SysAdmn: Managing Users and Servers</i>
190-710	<i>IBMLotus Notes Domino 7 App.Development Foundation Skills</i>
190-840	<i>Configuring Domino 8 Web Servers</i>
190-834	<i>IBMLotus Notes Domino 8 App. Development Foundation Skills</i>
190-838	<i>IBMLotus Notes Domino 8 Developing Composite Applications</i>
190-621	<i>Lotus RE""s Notes Domino 6: Building the Infrastructure</i>
LOT-951	<i>IBMLotus Notes Domino 8.5 Application Development Update</i>

Other Lotus Exams

190-832	190-804	190-981	190-735	190-838	190-702	190-701	190-622
190-825	190-516	190-711	LOT-952	190-821	190-562	190-623	190-737
190-802	190-828	190-841	190-831				