

## 1z0-040 Practice Test

### Oracle oracle database 10g:new features for adminstrators

**1z0-040: oracle database 10g:new features for adminstrators**

**Practice Exam:** 1z0-040 Exams

**Exam Number/Code:** 1z0-040

**Exam Name:** oracle database 10g:new features for adminstrators

**Questions and Answers:** 140 Q&As  
( 10g DBA )



Exam : [1z0-040](#)

For candidates making preparation for the Oracle 1z0-040 questions and answers, what they most desire is to easily pass the 1z0-040 (oracle database 10g:new features for adminstrators) exam. ItCertHome 1z0-040 includes 140 questions and answers, which are collected and collated by experts of Oracle. With our 1z0-040 study materials, you can successfully take Oracle certification of 1z0-040 exam and go further on Oracle career path.

#### **Free 1z0-040 Demo**

we provide Oracle 1z0-040 demo exam for free (in PDF format ) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

#### **ItCertHome Test tool's advantages:**

##### **High Quality and Value of 1z0-040 exam**

ItCertHome Oracle 10g DBA 1z0-040 Practice Questions is developed and finished by Oracle technical team , cover every field of the exam . Besides, we have verified 1z0-040 answers,almost 100% correct.

##### **100% Guarantee to Pass 1z0-040 Exam**

We promise to give you FULL REFUND if you fail the 10g DBA 1z0-040 certification(Oracle Certified Network Associate) with the use of our ItCertHome testing engine.

##### **1z0-040 Self Test Mode**

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 1z0-040 to ensure enough assurance in real testing center.

##### **Periodic Updates of ItCertHome 1z0-040**

Once there is some change on Oracle 1z0-040 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

##### **Professional and Efficient Service**

We offer 7\*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Oracle 10g DBA 1z0-040** examination of original title complete coverage.ItCertHome **1z0-040 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

### **We promised that use ItCertHome Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 1z0-040 Q&A are more than 96%.All you need to study the whole 1z0-040 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 1z0-040 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 1z0-040 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 1z0-040 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

[Oracle 1z0-040](#) Test belongs to one of the 10g DBA certified test, if needs to obtain the 10g DBA certificate, you also need to participate in other related test, the details you may visit the 10g DBA certified topic, in there, you will see all related 10g DBA certified subject of examination.

1z0-040

ItCertHome professional provide 10g DBA 1z0-040 the newest Q&A, completely covers 1z0-040 test original topic. With our complete 10g DBA resources, you will minimize your 10g DBA cost and be ready to pass your 1z0-040 tests on Your First Try, 100% Money Back Guarantee included!

This 1z0-040 PDF demo do not include the questions and answers's picture:

Exam : Oracle 1Z0-040

Title : Oracle(r) Database 10g:New Features For Adminsitrators

1. View the Exhibit and examine the highlighted alert.

You have received an alert with the Category specified as Snapshot Too Old. Which page would you open from the Advisor Central page to determine the system recommendations to avoid such alerts in future?

- A.ADDM
- B.Memory Advisor
- C.Segment Advisor
- D.Undo Management
- E.SQL Tuning Advisor
- F.SQL Access Advisor

Answer: D

2. You have 100 segments in the USERS tablespace. You get an alert that the USERS tablespace is running low on space. You decide to shrink some segments. Which option would you use to determine which segments to shrink?

- A.Segment Advisor
- B.SQL Tuning Advisor
- C.SQL Access Advisor
- D.Segment Resource Estimation
- EAutomatic Database Diagnostic Monitor (ADDM)

Answer: A

3. You created a locally managed tablespace by using the following SQL statement:

```
CREATE TABLESPACE hr_tbs
DATAFILE 'data.dat' SIZE 1M REUSE
AUTOEXTEND ON MAXSIZE 100M;
```

The warning and critical tablespace usage threshold values are set to 85% and 97%, respectively. Which two statements regarding the threshold-based alerts generation for the HR\_TBS tablespace are correct? (Choose two.)

- A.A critical alert will be generated when 97 MB space is used.

- B.A critical alert will be generated when 970 KB space is used.
- C.A warning alert will be generated when 85 MB space is used.
- D.A warning alert will be generated when 850 KB space is used.
- E.A critical alert will be generated when 970 KB is left as free space.
- F.A warning alert will be generated when 850 KB is left as free space.
- G.No critical alert will be generated because it is a small file tablespace.
- H.No warning alert will be generated because the tablespace is autoextensible.

Answer: AC

4. Which are the three levels at which the Segment Advisor generates advice? (Choose three.)

- A.block level
- B.object level
- C.schema level
- D.segment level
- E.tablespace level

Answer: BDE

5. View the exhibit and examine the sparsely populated EMP table segment.

You execute the following SQL command.

```
ALTER TABLE emp SHRINK SPACE;
```

Identify how the data in the segment will be reorganized as a result of the above statement.

- A. Exhibit 1.
- B. Exhibit 2.
- C. Exhibit 3
- D. Exhibit 4
- E. Exhibit 5

Answer: A

6. You explicitly specified the tablespace usage threshold values while creating a tablespace. You need to revert to the database-wide default tablespace usage threshold values for the tablespace. Which PL/SQL package would you use?

- A.DBMS\_STATS
- B.DBMS\_ALERT
- C.DBMS\_SPACE
- D.DBMS\_MONITOR
- E.DBMS\_SERVER\_ALERT
- F.DBMS\_SPACE\_ADMIN

Answer: E

7. You executed the following SQL statement to shrink the EMPLOYEES table segment stored in the EXAMPLE tablespace:

```
ALTER TABLE employees SHRINK SPACE CASCADE;
```

Which statement is correct in this scenario?

- A.The data in the segment will be compacted but the high water mark will not be adjusted.
- B.The EMPLOYEES table will be changed to read-only mode during the shrink operation.
- C.The indexes created on the EMPLOYEES table will need to be rebuilt after the shrink operation is over.
- D.The shrink behavior will be cascaded to all dependent segments of the table that support a shrink operation.
- E.Data manipulation language (DML) operations will not be possible on the EMPLOYEES table during the COMPACTION phase of the shrink operation.

Answer: D

8. Which two statements regarding the FLASHBACK\_TRANSACTION\_QUERY view are correct? (Choose two.)

- A.You can find information about only active transactions from the view.

- B.You can find information about read only transactions from the view.
- C.You require the SELECT ANY TRANSACTION system privilege to access the view.
- D.You can find information about both active and committed transactions from the view.
- E.You require the SELECT ON FLASHBACK\_TRANSACTION\_QUERY object privilege to access the view.

Answer: CD

9. You have 100 segments in the USERS tablespace. You realize that the USERS tablespace is running low on space. You can use Segment Advisor to \_\_\_\_\_.

- A.add data files to the tablespace
- B.identify the segments that you should shrink
- C.modify the storage parameters for the tablespace
- D.automatically shrink the segments with unused space
- E.check the alerts generated for the tablespace that is running low on space

Answer: B

10. You want to perform the database backup when user activity on your system is low, such as between 12:00 a.m. and 2:00 a.m.

Which command terminates with an error if the backup is not complete at the end of the specified duration?

- A.RMAN> BACKUP DURATION 2:00 MINIMIZE LOAD DATABASE;
- B.RMAN> BACKUP DURATION 2:00 PARTIAL FILESPERSET 1 DATABASE;
- C.RMAN> BACKUP DURATION 2:00 PARTIAL MINIMIZE TIME DATABASE;
- D.RMAN> BACKUP AS COPY DURATION 2:00 PARTIAL MINIMIZE LOAD DATABASE;

Answer: A

11. View the Exhibit and examine the recommendation graph provided for a test database by the Undo Advisor.

The graph recommends that the size of undo tablespace should be set to \_\_\_\_\_.

- A.1 MB
- B.6 MB
- C.10 MB
- D.15 MB
- E.11 MB

Answer: E

12. You need to ensure that the database users should be able to use the various flashback query features in order to go back in time by four hours. What would you do to achieve this? (Choose two.)

- A.set SQL\_TRACE=True
- B.set UNDO\_RETENTION=14400
- C.set FAST\_START\_MTTR\_TARGET=240
- D.set LOG\_CHECKPOINT\_INTERVAL=240
- E.set DB\_FLASHBACK\_RETENTION\_TARGET=14400
- F.issue ALTER DATABASE FLASHBACK ON; command
- G.set the RETENTION GUARANTEE clause for the undo tablespace

Answer: BG

13. An online tablespace, TEST\_TBS, is full and you realize that no server-managed tablespace threshold alerts were generated for the TEST\_TBS tablespace. What could be the reason, if the TEST\_TBS tablespace does not include autoextensible data files?

- A.TEST\_TBS is a small file tablespace.
- B.TEST\_TBS is a bigfile tablespace (BFT).
- C.TEST\_TBS is the default temporary tablespace.
- D.TEST\_TBS is a dictionary-managed tablespace.
- E.Threshold values for the TEST\_TBS tablespace are not explicitly specified.

Answer: D

14. You plan to create an external table from the EMPLOYEES, DEPARTMENTS, and LOCATIONS database tables. Which method or command should you use to create and populate the external table?

- A.the expdp and impdp commands
- B.conventional export and import
- C.CREATE TABLE.. and SQL\*Loader
- D.CREATE TABLE.. and INSERT INTO.. SELECT.. FROM..
- E.CREATE TABLE.. ORGANIZATION EXTERNAL ..AS SELECT.. FROM..

Answer: E

15. You are checking every 10 minutes for alerts regarding the violation of tablespace usage threshold. Some of the tablespaces' fullness was not detected on time. As a result the transactions were aborted before you had a chance to resolve the space issue. What would you do to avoid transaction failures?

- A.use bigfile tablespaces (BFTs)
- B.enable resumable space allocation
- C.modify the background process PMON settings
- D.modify the LOG\_CHECKPOINT\_TIMEOUT parameter
- E.reduce the default tablespace usage threshold values for the database

Answer: B

16. You have three temporary tablespace groups named G1, G2, and G3 in your database.

You are creating a new temporary tablespace as follows:

```
CREATE TEMPORARY TABLESPACE TEMP1 TEMPFILE '/u1/data/temp1.dbf' SIZE 10M TABLESPACE GROUP ";
```

Which statement regarding the above command is correct?

- A.It will create the tablespace TEMP1 in group G1.
- B.It will create the tablespace TEMP1 in group G3.
- C.It will not add the tablespace TEMP1 to any group.
- D.It will create the tablespace TEMP1 in the default group.
- E.It will throw an error with message 'specified group is not available'.
- F.It will create a new group with a system-generated name and add the tablespace TEMP1 to it.

Answer: C

17. Which two statements regarding the Policy Framework in Enterprise Manager (EM) are correct? (Choose two.)

- A.Policy violations are prioritized as High, Medium, or Informational by category.
- B.Policies can be disabled completely, or flagged as ignored, for the specified target.
- C.Policies can be flagged as ignored, but never completely disabled, for the specified target.
- D.Policy violations must be corrected, otherwise the database will shut down until corrective action occurs.

Answer: AB

18. You have three production databases, HRDB, FINDB, and ORGDB, that use the same ASM instance. At the end of the day, you execute the following command on the ASM instance to shut down:

```
SQL> shutdown immediate;
```

What is the result of executing this command?

- A.All the instances, including the ASM instance, are shut down in the ABORT mode.
- B.The ASM instance is shut down, but the other instances are still running.
- C.The ASM instance is still functional, but the other instances are shut down.
- D.All the instances, including the ASM instance, are shut down in the IMMEDIATE mode.
- E.HRDB, FINDB, and ORGDB instances are shut down in the ABORT mode and the ASM instance is shut down in the IMMEDIATE mode.
- F.HRDB, FINDB, and ORGDB instances are shut down in the NORMAL mode and the ASM instance is shut down in the IMMEDIATE mode.

Answer: D

19. View the Exhibit and examine the SQL statement used to create the EMP table.

You need to shrink the EMP table segment. Which SQL statement would you execute as a prerequisite before you execute the ALTER TABLE emp SHRINK SPACE; command?

- A.ALTER TABLESPACE emp OFFLINE;
- B.ALTER TABLESPACE emp READ ONLY;
- C.ALTER TABLE emp DEALLOCATE UNUSED;
- D.ALTER TABLE emp ENABLE ROW MOVEMENT;
- E.ALTER TABLE emp DISABLE ALL TRIGGERS;
- F.ALTER TABLE emp ENABLE NOVALIDATE CONSTRAINT emp\_last\_name\_nn;

Answer: D

20. The system was running a normal workload during the last 24 hours. You need to ensure that with the same workload you should be able to flashback tables by three hours. What would you do to find the system recommendations for the undo retention period and the undo tablespace size?

- A.set DB\_FLASHBACK\_RETENTION\_TARGET=10800
- B.create a new scheduler window for the time period of 24 hours and use the optimizer statistics
- C.modify the Automatic Workload Repository (AWR) snapshot time interval to three hours and use ADDM findings
- D.specify New Undo Retention as three hours and Analysis Time period as Last One Day in the Undo Advisor page and use its recommendations

Answer: D

More [1z0-040 practice test](#)

### Related 1z0-040 Exams

[1z0-040](#) oracle database 10g:new features for administators

[1Z0-043](#) Oracle Database 10g: Administration II

[1z0-042](#) oracle database 10g:administration i

[1z0-048](#) Oracle Database 10g R2: Administering RAC

[1Z0-108](#) Oracle WebLogic Server 10g System Administration

[1z0-095](#) Oracle 9i and 10g OCM Course Attendance Exam

[1z0-046](#) Oracle Database 10g: Managing Oracle on Linux for DBAs

[1z1-046](#) Oracle database 10g:Managing Oracle on Linux for DBAs

[1z0-312](#) Oracle Application Server 10g: Administrator II

### Other Oracle Exams

[1Z0-146](#)    [1z0-031](#)    [1Z1-225](#)    [1z0-048](#)    [1z0-263](#)    [1z0-047](#)    [1z0-054](#)    [1z0-241](#)

[1Z1-054](#)    [1z0-312](#)    [1z0-226](#)    [1Z0-517](#)    [1Z0-216](#)    [1Z0-242](#)    [1Z0-208](#)    [1Z1-202](#)

[1Z0-109](#)    [1z0-020](#)    [1Z1-402](#)    [1z0-231](#)