

310-055 Practice Test

SUN Sun Certified Programmer for the Java 2 Platform.SE 5.0

310-055: Sun Certified Programmer for the Java 2 Platform.SE 5.0

Practice Exam: 310-055 Exams

Exam Number/Code: 310-055

Exam Name: Sun Certified Programmer for the Java 2 Platform.SE 5.0

Questions and Answers: 265 Q&As

(SCJP)



Exam : [310-055](#)

For candidates making preparation for the SUN 310-055 questions and answers, what they most desire is to easily pass the 310-055 (Sun Certified Programmer for the Java 2 Platform.SE 5.0) exam. ItCertHome 310-055 includes 265 questions and answers, which are collected and collated by experts of SUN. With our 310-055 study materials, you can successfully take SUN certification of 310-055 exam and go further on SUN career path.

Free 310-055 Demo

we provide SUN 310-055 demo exam for free (in PDF format) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

ItCertHome Test tool's advantages:

High Quality and Value of 310-055 exam

ItCertHome SUN SCJP 310-055 Practice Questions is developed and finished by SUN technical team , cover every field of the exam . Besides, we have verified 310-055 answers,almost 100% correct.

100% Guarantee to Pass 310-055 Exam

We promise to give you FULL REFUND if you fail the SCJP 310-055 certification(SUN Certified Network Associate) with the use of our ItCertHome testing engine.

310-055 Self Test Mode

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 310-055 to ensure enough assurance in real testing center.

Periodic Updates of ItCertHome 310-055

Once there is some change on SUN 310-055 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **SUN SCJP 310-055** examination of original title complete coverage.ItCertHome **310-055 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

We promised that use ItCertHome Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 310-055 Q&A are more than 96%.All you need to study the whole 310-055 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 310-055 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 310-055 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 310-055 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

SUN 310-055 Test belongs to one of the SCJP certified test, if needs to obtain the SCJP certificate, you also need to participate in other related test, the details you may visit the SCJP certified topic, in there, you will see all related SCJP certified subject of examination.

310-055

ItCertHome professional provide SCJP 310-055 the newest Q&A, completely covers 310-055 test original topic. With our complete SCJP resources, you will minimize your SCJP cost and be ready to pass your 310-055 tests on Your First Try, 100% Money Back Guarantee included!

This 310-055 PDF demo do not include the questions and answers's picture:

Exam : SUN 310-055

Title : Sun Certified Programmer for the Java 2 Platform.SE 5.0

```
1. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
2. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
3. this.name = name;
15. }
16. public int hashCode() {
17. return 420;
18. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
4. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
5.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
6. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8

- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
7. public int hashCode() {
17. return 420;
18. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
8. }
8. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
9.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
10. public int bar() { return 2; }
```

```
26. }
```

```
27.
```

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
11. }
```

Which statement is true?

A. The time to find the value from HashMap with a Person key depends on the size of the map.

B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.

C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.

D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

12. Given:

```
11. String test = "a1b2c3";
```

```
12. String[] tokens = test.split("\\d");
```

```
13. for(String s: tokens) System.out.print(s + " ");
```

What is the result?

A. a b c

B. 1 2 3

C. a1b2c3

D. a1 b2 c3

E. Compilation fails.

F. The code runs with no output.

G. An exception is thrown at runtime.

Answer: A

13. Click the Exhibit button.

```
10. public class ClassA {
```

```
11. public void methodA() {
```

```
12. ClassB classB = new ClassB();
```

```
13. classB.getValue();
```

```
14. }
```

```
15. }
```

And:

```
20. class ClassB {
21. public ClassC classC;
22.
23. public String getValue() {
24. return classC.getValue();
25. }
26. }
```

And:

```
30. class ClassC {
31. public String value;
32.
33. public String getValue() {
34. value = "ClassB";
35. return value;
36. }
37. }
```

Given:

```
ClassA a = new ClassA();
a.methodA();
```

What is the result?

- A. Compilation fails.
- B. ClassC is displayed.
- C. The code runs with no output.
- D. An exception is thrown at runtime.

Answer: D

```
14. value *= multiplier;
7. }
8. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
15. return 420;
18. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
16. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32.     new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

17. Click the Exhibit button.

```
1. public class SimpleCalc {
2.     public int value;
3.     public void calculate() { value += 7; }
4. }
```

And:

```
1. public class MultiCalc extends SimpleCalc{
2.     public void calculate() { value -= 3; }
3.     public void calculate(int multiplier) {
4.         calculate();
5.         super.calculate();
6.         value *= multiplier;
7.     }
8.     public static void main(String[] args) {
9.         MultiCalc calculator = new MultiCalc();
10.        calculator.calculate(2);
11.        System.out.println("Value is: " + calculator.value);
12.    }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

18. Given:

```
11. public static Iterator reverse(List list) {
12.     Collections.reverse(list);
13.     return list.iterator();
14. }
15. public static void main(String[] args) {
16.     List list = new ArrayList();
17.     list.add("1"); list.add("2"); list.add("3");
18.     for (Object obj: reverse(list))
```

```
19. System.out.print(obj + ", ");
20. }
```

What is the result?

- A. 3, 2, 1,
- B. 1, 2, 3,
- C. Compilation fails.
- D. The code runs with no output.
- E. An exception is thrown at runtime.

Answer: C

```
19. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32.     new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
20.
22. public void testFoo() {
23.
24.     class A implements Foo {
25.         public int bar() { return 2; }
26.     }
27.
28.     System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32.     new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
21. }
16. public int hashCode() {
```

17. return 420;

18. }

19. }

Which statement is true?

A. The time to find the value from HashMap with a Person key depends on the size of the map.

B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.

C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.

D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

22.

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

23. }

19. }

Which statement is true?

A. The time to find the value from HashMap with a Person key depends on the size of the map.

B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.

C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.

D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

24. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

```
25. class A implements Foo {
```

```
25. public int bar() { return 2; }
```

```
26. }
```

```
27.
```

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

26. Which two statements are true? (Choose two.)

A. An encapsulated, public class promotes re-use.

B. Classes that share the same interface are always tightly encapsulated.

C. An encapsulated class allows subclasses to overload methods, but does NOT allow overriding methods.

D. An encapsulated class allows a programmer to change an implementation without affecting outside code.

Answer: AD

27. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

28. }

13. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

29. public int fubar(Foo foo) { return foo.bar(); }

21.

22. public void testFoo() {

23.

24. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

```
30.
31. public static void main( String[] argv ) {
32.     new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
30. public void testFoo() {
23.
24. class A implements Foo {
25.     public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32.     new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

More [310-055 practice test](#)

Related 310-055 Exams

[310-065](#) Sun Certified Programmer for the Java 2 Platform. SE6.0

[310-055](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

[310-065Big5](#) Sun Certified Programmer for the Java 2 Platform. SE6.0

[212-055](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

[310-036](#) SUN CERTIFIED JAVA 2 PROGRAMMER 1.4 UPGRADE

[310-035](#) SUN CERTIFIED PROGRAMMER FOR THE JAVA 2 PLATFORM 1.4

[310-055Big5](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

[310-056](#) Sun Certified Programmer for J2SE 5.0 - Upgrade

Other SUN Exams

[310-220](#)

[310-345](#)

[310-200](#)

[310-019](#)

[310-878](#)

[310-051](#)

[310-879](#)

[310-625](#)

310-011

310-540

310-815

310-100

310-081

212-811

212-105

310-302

310-502

310-620

310-110

310-600