

## 310-220 Practice Test

### SUN Sun Certified Developer for Java Web Services

**310-220: Sun Certified Developer for Java Web Services**

**Practice Exam:** 310-220 Exams

**Exam Number/Code:** 310-220

**Exam Name:** Sun Certified Developer for Java Web Services

**Questions and Answers:** 250 Q&As

**( SCDJWS )**



Exam : [310-220](#)

For candidates making preparation for the SUN 310-220 questions and answers, what they most desire is to easily pass the 310-220 (Sun Certified Developer for Java Web Services) exam. ItCertHome 310-220 includes 250 questions and answers, which are collected and collated by experts of SUN. With our 310-220 study materials, you can successfully take SUN certification of 310-220 exam and go further on SUN career path.

#### **Free 310-220 Demo**

we provide SUN 310-220 demo exam for free (in PDF format ) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

#### **ItCertHome Test tool's advantages:**

##### **High Quality and Value of 310-220 exam**

ItCertHome SUN SCDJWS 310-220 Practice Questions is developed and finished by SUN technical team , cover every field of the exam . Besides, we have verified 310-220 answers,almost 100% correct.

##### **100% Guarantee to Pass 310-220 Exam**

We promise to give you FULL REFUND if you fail the SCDJWS 310-220 certification(SUN Certified Network Associate) with the use of our ItCertHome testing engine.

##### **310-220 Self Test Mode**

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 310-220 to ensure enough assurance in real testing center.

##### **Periodic Updates of ItCertHome 310-220**

Once there is some change on SUN 310-220 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

##### **Professional and Efficient Service**

We offer 7\*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **SUN SCDJWS 310-220** examination of original title complete coverage.ItCertHome **310-220 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

### **We promised that use ItCertHome Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 310-220 Q&A are more than 96%.All you need to study the whole 310-220 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 310-220 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 310-220 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 310-220 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

**SUN 310-220** Test belongs to one of the SCDJWS certified test, if needs to obtain the SCDJWS certificate, you also need to participate in other related test, the details you may visit the SCDJWS certified topic, in there, you will see all related SCDJWS certified subject of examination.

310-220

ItCertHome professional provide SCDJWS 310-220 the newest Q&A, completely covers 310-220 test original topic. With our complete SCDJWS resources, you will minimize your SCDJWS cost and be ready to pass your 310-220 tests on Your First Try, 100% Money Back Guarantee included!

This 310-220 PDF demo do not include the questions and answers's picture:

Exam : SUN 310-220

Title : Sun Certified Developer for Java Web Services

1. A developer is writing a request-response Web service. An error occurs when the service executes. Which is true about the Body element of the SOAP reply message?

- A. It must NOT contain any fault elements.
- B. It must contain zero or one fault element.
- C. It must contain an array of fault elements.
- D. It can contain as many fault elements as it needs.

Answer: B

2. Given:

```
<schema targetNamespace="http://sun.cert/types"
xmlns:sun="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified">
<xsd:element name="Person" type="sun:PersonType"/>
<xsd:complexType name="PersonType">
<xsd:sequence>
<xsd:element name="first" type="xsd:string"/>
<xsd:element name="last" type="xsd:string"/>
</xsd:sequence>
</xsd:complexType>
</schema>
```

Assume all XML fragments are well-formed.

Which two instances of Person are correct? (Choose two.)

- A. <Person>  
<first>Monty</first>  
<last>Duke</last>  
</Person>

B. <t:Person xmlns:t="http://sun.cert/types">  
 <first>Monty</first>  
 <last>Duke</last>  
 </t:Person>

C. <t:Person xmlns:t="http://sun.cert/types">  
 <t:first>Monty</t:first>  
 <t:last>Duke</t:last>  
 </t:Person>

D. <p:Person xmlns:p="http://sun.cert/types">  
 <f:first xmlns:f="http://sun.cert/types">Monty</f:first>  
 <f:last>Duke</f:last>  
 </p:Person>

Answer: CD

3. Given:

```
<schema targetNamespace="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:wSDL="http://schemas.xmlsoap.org/wsdl">
<!-- insert code here -->
</schema>
```

Assume all XML fragments are well-formed.

According to the WS-I Basic Profile 1.0a, which type definition can be used to define an array of longs?

A. <xsd:complexType name="longArray">  
 <xsd:array>  
 <xsd:element name="item" type="xsd:long"/>  
 </xsd:array>  
 </xsd:complexType>

B. <xsd:complexType name="longArray">  
 <xsd:sequence>  
 <element name="item" type="xsd:long"/>  
 </xsd:sequence>  
 </xsd:complexType>

C. <xsd:complexType name="longArray">  
 <xsd:array>  
 <xsd:element name="item" type="xsd:long" minOccurs="0"  
 maxOccurs="unbounded"/>  
 </xsd:array>  
 </xsd:complexType>

D. <xsd:complexType name="longArray">  
 <xsd:sequence>  
 <xsd:element name="item" minOccurs="0" maxOccurs="5"  
 type="xsd:long"/>  
 </xsd:sequence>  
 </xsd:complexType>

Answer: D

4. According to the JAX-RPC 1.1 XML-to-Java mappings, which three elements or attribute declarations are mapped to a Java primitive wrapper class (for example, java.lang.Short)? (Choose three.)

A. <xsd:element name="age" type="xsd:short" minOccurs="0"/>  
 B. <xsd:element name="age" type="xsd:short" nillable="true"/>  
 C. <xsd:element name="age" type="xsd:short" nillable="false"/>  
 D. <xsd:attribute name="required" type="xsd:boolean" use="optional"/>

E. <xsd:attribute name="required" type="xsd:boolean" use="required"/>

Answer: ABD

5. Which two are commonly used as SOAP headers? (Choose two.)

- A. security information
- B. transaction information
- C. postal address information
- D. stock quote request information

Answer: AB

6. Given:

```
<Schema targetNamespace="http://sun.cert/types"
xmlns:ns0="http://www.w3.org/2001/XMLSchema"
xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:xsd="http://sun.cert/xsdTypes"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<complexType name="Foo">
<sequence>
<!-- insert code here -->
</sequence>
</complexType>
</schema>
```

Assuming that no other namespace declarations exist, which two elements use the long type that is defined in the http://www.w3.org/2001/XMLSchema namespace? (Choose two.)

- A. <element name="length" type="long"/>
- B. <element name="length" type="xsi:long"/>
- C. <element name="length" type="xsd:long"/>
- D. <element name="length" type="ns0:long"/>

Answer: AD

7. Given:

```
<xsd:schema targetNamespace="http://sun.cert/types"
xmlns:suncert="http://sun.cert/types">
<xsd:element name="fooElement" type="suncert:Foo"/>
<xsd:complexType name="Foo">
<xsd:sequence>
<xsd:element name="age" type="xsd:long"/>
<xsd:element name="last" type="xsd:string"/>
<xsd:element name="first" type="xsd:string"
nillable="true"/>
</xsd:sequence>
</xsd:complexType>
</xsd:schema>
```

Which two instances of a fooElement are valid? (Choose two.)

- A. <fooElement>  
<last>Duke</last>  
<first xsi:nil="1"/>  
</fooElement>
- B. <fooElement>  
<age>33</age>  
<last>Duke</last>  
<first>Monty</first>  
</fooElement>

C. <fooElement>  
<age>33</age>  
<last>Duke</last>  
<first xsi:nil="1"/>  
</fooElement>

D. <fooElement>  
<age>33</age>  
<last xsi:nil="1"/>  
<first>Monty</first>  
</fooElement>

E. <fooElement>  
<age>33</age>  
<last>Duke</last>  
<first xsi:nil="1">Monty</first>  
</fooElement>

Answer: BC

8. Given:

```
<service name="InventoryServices">  
<port name="PurchaseOrder" binding="tns:POBinding">  
<soap:address location="http://192.168.0.2:8080/inventory"/>  
</port>  
<port name="Invoice" binding="tns:InvoiceBinding">  
<soap:address location="http://192.168.0.2:8080/inventory"/>  
</port>  
</service>
```

Which describes this WSDL extract?

- A. The extract is WS-I Basic Profile 1.0a compliant because both port element names are different.
- B. The extract is NOT WS-I Basic Profile 1.0a compliant because both port elements point to the same location.
- C. The extract is WS-I Basic Profile 1.0a compliant because both port elements point to different binding elements.
- D. The extract is NOT WS-I Basic Profile 1.0a compliant because it contains two port elements in the same service.

Answer: B

9. Given:

```
11: public BulkResponse findCallerAssociations(  
12: Collection findQualifiers,  
13: Boolean confirmedByCaller,  
14: Boolean confirmedByOtherParty,  
15: Collection associationTypes);
```

...

```
36: BusinessQueryManager queryMgr =  
37: registry.getBusinessQueryManager();  
38: BulkResponse response =  
39: queryMgr.findCallerAssociations(null,  
40: Boolean.TRUE, Boolean.FALSE, null);
```

A developer has established a JAXR connection to a UDDI registry. The developer executes the findCallerAssociations method that is defined in lines 11-15. The context for the method invocation is shown in lines 36-40. The invocation on line 39-40 will return a BulkResponse object.

Which is true about the BulkResponse object?

- A. It contains a Collection of Association objects that the other party has confirmed with the caller.
- B. It contains a Collection of Organization objects that have confirmed the associations with the caller.
- C. It contains a Collection of Association objects that the other party has NOT yet confirmed with the caller.
- D. It contains a Collection of Key objects representing UUID keys for organizations that have confirmed the

associations with the caller.

Answer: C

10. Given:

```
<types>
<schema targetNamespace="http://sun.cert/types"
xmlns:tns="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<xsd:complexType name="Person">
<xsd:all>
<!-- insert code here -->
</xsd:all>
</xsd:complexType>
</schema>
</types>
```

Which two element definitions, when inserted into the given schema fragment, result in a correct schema type definition? (Choose two.)

- A. <xsd:element name="first" type="xsd:string"/>
- B. <xsd:element name="items" type="xsd:long" maxOccurs="5"/>
- C. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="1"/>
- D. <xsd:element name="first" type="xsd:string" minOccurs="0" maxOccurs="5"/>

Answer: AC

11. In addition to SAX2 and DOM Level 2, which is supported by JAXP 1.2?

- A. XSLT
- B. JAXB
- C. SAAJ
- D. JDBC

Answer: A

12. A developer in a business-to-business environment is required to build a Web service client that can be strongly authenticated by a Web service.

What must the developer do to create the client?

- A. use role-based security
- B. implement form-based security
- C. implement basic authentication
- D. provide a digital certificate that is signed by a Certificate Authority

Answer: D

13. A developer uses the delete\_tModel function to delete five tModels. Which two describe the behavior of the system after the delete\_tModel is executed? (Choose two.)

- A. The delete\_tModel logically deletes the tModels .
- B. The tModels cannot be accessed since they are permanently deleted.
- C. The deleted tModels still appear in the results returned by find\_tModel.
- D. The deleted tModels are omitted from any results returned by find\_tModel.

Answer: AD

14. Which SAAJ 1.2 type is used to represent SOAP message header blocks?

- A. org.omg.dom.Document
- B. javax.xml.soap.SOAPPart
- C. javax.xml.soap.DetailEntry
- D. javax.xml.soap.SOAPHeaderElement

Answer: D

15. According to the WS-I Basic Profile 1.0a, a conformant WSDL 1.1 portType definition is allowed to use two type operations (that is, Message-Exchange Patterns).

Which two are allowed? (Choose two.)

- A. one-way
- B. notification
- C. solicit-response
- D. request-response

Answer: AD

16. Which Java type can be used to represent arbitrary XML data in a JAX-RPC service endpoint interface?

- A. org.w3c.dom.Document
- B. javax.xml.soap.SOAPPart
- C. javax.xml.soap.SOAPElement
- D. javax.xml.soap.SOAPException

Answer: C

17. Where is the Kerberos ticket embedded in a SOAP header processed?

- A. Web service interaction layer
- B. Web service processing layer
- C. Web service interaction and processing layers
- D. It is an HTML issue and it is NOT related to Web services.

Answer: A

18. Given the type declaration in a WSDL description for a Web service:

```
<element name="PurchaseOrder">
  <complexType>
    <sequence>
      <any maxOccurs="1"/>
    </sequence>
  </complexType>
</element>
```

The Java code generated by a JAX-RPC service endpoint interface consists of a PurchaseOrder JavaBean.

Which property should the PurchaseOrder JavaBean contain?

- A. \_any of type java.lang.String
- B. PurchaseOrder of type java.lang.Object
- C. complexType of type java.lang.Object[]
- D. \_any of type javax.xml.soap.SOAPElement

Answer: D

19. A stateful Web service is implemented as an EJB based endpoint.

What are two ways to maintain that state? (Choose two.)

- A. by using URL re-writing
- B. by adding a session cookie to the HTTP headers
- C. by adding a conversation id to the SOAP headers
- D. by requiring clients to send a client id parameter to all methods

Answer: CD

20. Given:

```
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:ns1="http://sun.cert/">
  <s:Header>
```

```
<ns1:transaction>
<user>root</user>
<transid>9b3e64e326537b4e8c0ff19e953f9673</transid>
</ns1:transaction>
</s:Header>
<s:Body>
<m:StockQuote xmlns:m="http://sun.cert/bar/">
<Quote>
<ns1:symbol>SUNW</ns1:symbol>
<ns1:companyname name="Sun"/>
</Quote>
</s:Body>
</s:Envelope>
```

Which describes this SOAP message?

- A. It is NOT well-formed.
- B. It contains a mandatory header block.
- C. It is WS-I Basic Profile 1.0a compliant.
- D. It does NOT contain the correct namespace declarations.

Answer: A

More [310-220 practice test](#)

### Related 310-220 Exams

[310-220](#) Sun Certified Developer for Java Web Services

---

### Other SUN Exams

|                         |                         |                         |                         |                         |                         |                         |                         |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| <a href="#">310-065</a> | <a href="#">310-879</a> | <a href="#">310-220</a> | <a href="#">212-200</a> | <a href="#">310-560</a> | <a href="#">310-600</a> | <a href="#">310-011</a> | <a href="#">212-812</a> |
| <a href="#">310-027</a> | <a href="#">212-810</a> | <a href="#">310-610</a> | <a href="#">310-035</a> | <a href="#">310-810</a> | <a href="#">310-</a>    | <a href="#">310-084</a> | <a href="#">310-202</a> |
|                         |                         |                         |                         |                         | <a href="#">610Big5</a> | <a href="#">310-303</a> | <a href="#">310-014</a> |
| <a href="#">310-025</a> | <a href="#">310-877</a> |                         |                         |                         |                         |                         |                         |