

310-230 Practice Test

SUN Sun Certified Developer for Java Web Services

310-230: Sun Certified Developer for Java Web Services

Practice Exam: 310-230 Exams

Exam Number/Code: 310-230

Exam Name: Sun Certified Developer for Java Web Services

Questions and Answers: 183 Q&As

(SUN Other Certifications)



Exam : [310-230](#)

For candidates making preparation for the SUN 310-230 questions and answers, what they most desire is to easily pass the 310-230 (Sun Certified Developer for Java Web Services) exam. ItCertHome 310-230 includes 183 questions and answers, which are collected and collated by experts of SUN. With our 310-230 study materials, you can successfully take SUN certification of 310-230 exam and go further on SUN career path.

Free 310-230 Demo

we provide SUN 310-230 demo exam for free (in PDF format) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

ItCertHome Test tool's advantages:

High Quality and Value of 310-230 exam

ItCertHome SUN SUN Other Certifications 310-230 Practice Questions is developed and finished by SUN technical team , cover every field of the exam . Besides, we have verified 310-230 answers,almost 100% correct.

100% Guarantee to Pass 310-230 Exam

We promise to give you FULL REFUND if you fail the SUN Other Certifications 310-230 certification(SUN Certified Network Associate) with the use of our ItCertHome testing engine.

310-230 Self Test Mode

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about 310-230 to ensure enough assurance in real testing center.

Periodic Updates of ItCertHome 310-230

Once there is some change on SUN 310-230 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **SUN SUN Other Certifications 310-230** examination of original title complete coverage.ItCertHome **310-230 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

We promised that use ItCertHome Q&A ensure you pass the exam at your first try.

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of 310-230 Q&A are more than 96%.All you need to study the whole 310-230 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our 310-230 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of 310-230 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the 310-230 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

SUN 310-230 Test belongs to one of the SUN Other Certifications certified test, if needs to obtain the SUN Other Certifications certificate, you also need to participate in other related test, the details you may visit the SUN Other Certifications certified topic, in there, you will see all related SUN Other Certifications certified subject of examination.

310-230

ItCertHome professional provide SUN Other Certifications 310-230 the newest Q&A, completely covers 310-230 test original topic. With our complete SUN Other Certifications resources, you will minimize your SUN Other Certifications cost and be ready to pass your 310-230 tests on Your First Try, 100% Money Back Guarantee included!

This 310-230 PDF demo do not include the questions and answers's picture:

Exam : SUN 310-230

Title : Sun Certified Developer for Java Web Services

1. A team of developers is describing a set of endpoints in their new SOA application.

Given the WSDL extract:

```
<service name="InventoryServices">
  <port name="PurchaseOrder" binding="tns:POBinding">
    <soap:address location="http://192.168.0.2:8080/inventory"/>
  </port>
  <port name="Invoice" binding="tns:InvoiceBinding">
    <soap:address location="http://192.168.0.2:8080/inventory"/>
  </port>
</service>
```

Which statement is true about this WSDL extract?

- A. The extract is WS-I Basic Profile 1.1 compliant because both port element names are different.
- B. The extract is NOT WS-I Basic Profile 1.1 compliant because both port elements point to the same location.
- C. The extract is WS-I Basic Profile 1.1 compliant because both port elements point to different binding elements.
- D. The extract is NOT WS-I Basic Profile 1.1 compliant because it contains two port elements in the same service.
- E. The extract is WS-I Basic Profile 1.1 conformant because both port element names are different.
- F. The extract is WS-I Basic Profile 1.1 conformant because the port, binding, and service element combinations are unique.

Answer: B

2. A developer is creating an XML schema using the xsd:all operator.

Given the code:

```
<types>
<schema targetNamespace="http://sun.cert/types"
xmlns:tns="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
```

```

<xsd:complexType name="Person">
<xsd:all>
<!-- insert code here -->
</xsd:all>
</xsd:complexType>
</schema>
</types>

```

Which two element definitions, when inserted into the given schema fragment, result in a correct schema type definition? (Choose two.)

- A. <xsd:element name="first" type="xsd:string"/>
- B. <xsd:element name="items" type="xsd:long" maxOccurs="5"/>
- C. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="1"/>
- D. <xsd:element name="first" type="xsd:string" minOccurs="0" maxOccurs="5"/>
- E. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="5"/>
- F. <xsd:element name="ssn" type="xsd:string" minOccurs="1" maxOccurs="unlimited"/>

Answer: AC

3. Which situation requires the client to use the Dispatch interface to access the Web service?

- A. The client and the server are on different platforms.
- B. The client has access to the portable artifacts, but not to the WSDL.
- C. The client has access to the WSDL, but not to the portable artifacts.
- D. The client will access a REST-based service.

Answer: D

4. According to the XML-to-Java mappings used by JAX-WS, which three elements or attribute declarations are mapped to a Java primitive wrapper class (for example, java.lang.Short)? (Choose three.)

- A. <xsd:element name="age" type="xsd:short" minOccurs="0"/>
- B. <xsd:element name="age" type="xsd:short" nillable="true"/>
- C. <xsd:element name="age" type="xsd:short" nillable="false"/>
- D. <xsd:attribute name="required" type="xsd:boolean" use="optional"/>
- E. <xsd:attribute name="required" type="xsd:boolean" use="required"/>
- F. <xsd:attribute name="required" type="xsd:boolean" nillable="false"/>

Answer: ABD

5. A developer must create a new stock monitoring application using SOAP.

Given the code:

```

<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:ns1="http://sun.cert/">
<s:Header>
<ns1:transaction>
<user>root</user>
<transid>9b3e64e326537b4e8c0ff19e953f9673</transid>
</ns1:transaction>
</s:Header>
<s:Body>
<m:StockQuote xmlns:m="http://sun.cert/bar/">
<Quote>
<ns1:symbol>SUNW</ns1:symbol>
<ns1:companyname name="Sun"/>
</Quote>
</s:Body>

```

</s:Envelope>

Which statement is true about this SOAP message?

- A. It is NOT well-formed.
- B. It contains a mandatory header block.
- C. It is WS-I Basic Profile 1.1 compliant.
- D. It does NOT contain the correct namespace declarations.
- E. The transid should be blowfish encrypted.
- F. `http://sun.cert/bar/` is not a valid stock quote service.

Answer: A

6. A JAXR client has established connection with a UDDI registry and needs to get a service binding from the registry. What is required to accomplish this task?

- A. find the appropriate concept and then find the service binding associated with that concept
- B. find the appropriate authentication token and then find the service binding associated with that authentication token
- C. find the appropriate organization, get the tModel associated with that organization, and then find the service binding associated with the tModel
- D. find the appropriate organization, find the services associated with that organization, and then find the service binding associated with the service

Answer: D

7. A company is refactoring an existing website to use Web services clients. The application retrieves lists of parts and displays them to the users in a browser window. Previously, the data was stored as files on the web server and, in order to access the files, the user would simply click on a hyperlink. Now the data must be dynamically generated via a service that another developer has created. They want the easiest way to refactor their website to use Web services.

Which three technologies should they use? (Choose three.)

- A. SOAP
- B. REST
- C. Javascript
- D. XML
- E. JSON
- F. Java

Answer: BCE

8. What are two features of a WSDL 1.1 document? (Choose two.)

- A. Service defines a collection of related endpoints.
- B. Service describes the message's payload using XML.
- C. Service assigns an Internet address to a specific binding.
- D. Porttype declares complex data types and elements used elsewhere.
- E. Porttype elements are used to group a set of abstract operations.
- F. Porttype defines a concrete protocol and data format specification.

Answer: AE

9. A developer is creating an XML schema that is Basic Profile compliant, and has elements that require long integer values.

Given the code:

```
<Schema targetNamespace="http://sun.cert/types"
xmlns:ns0="http://www.w3.org/2001/XMLSchema"
xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:xsd="http://sun.cert/xsdTypes"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<complexType name="Foo">
<sequence>
```

<!-- insert code here -->

</sequence>

</complexType>

</schema>

Assuming that no other namespace declarations exist, which two elements use the long type that is defined in the <http://www.w3.org/2001/XMLSchema> namespace? (Choose two.)

- A. <element name="length" type="long"/>
- B. <element name="length" type="xsi:long"/>
- C. <element name="length" type="xsd:long"/>
- D. <element name="length" type="ns0:long"/>
- E. <element name="length" type="integer"/>
- F. <element name="length" type="xsd:integer"/>

Answer: AD

10. What are two communication modes supported by JAX-WS? (Choose two.)

- A. Synchronous RPC
- B. Dynamic Service Binding
- C. Dynamic Proxy
- D. Endpoint Invocation
- E. Dispatch

Answer: CE

11. for a company's new software, the developers are constructing abstract definitions of the data being communicated by their document style Web service.

Given the targetNamespace:

```
xmlns:xsda="http://sun.com/sample.xsd"
```

Which is a valid wsdl:message containing a wsdl:part?

- A. <message name="GetInput">
<part name="body" attribute="tns:InputRequest"/>
</message>
- B. <message name="GetInput">
<part name="body" element="tns:InputRequest"/>
</message>
- C. <message name="GetInput">
<part name="body" attribute="xsda:InputRequest"/>
</message>
- D. <message name="GetInput">
<part name="body" element="xsda:InputRequest"/>
</message>
- E. <message name="GetInput">
<part name="body" element="xsd:string"/>
</message>
- F. <message name="GetInput">
<part name="body" element="InputRequest"/>
</message>

Answer: D

12. Which two statements are true about XML schemas and WSDL 1? (Choose two.)

- A. <http://schemas.xmlsoap.org/wsdl/> is the WSDL namespace for SOAP binding.
- B. xsi is used as a prefix to represent the schema namespace as defined by XSD.
- C. XSD schemas are used as a formal definition of WSDL grammar.
- D. xsd is used as a prefix to represent the schema namespace as defined by XSD.
- E. <http://schemas.xmlsoap.org/wsdl/http/> is the WSDL namespace for SOAP binding.

Answer: CD

13. A developer is defining a SOAP binding in the WSDL for their new service.

Which XML fragment is WSDL 1.1 compliant?

A. <soap:binding

transport=Http://www.w3.org/2001/XMLSchema?style="document"/>

B. <soap:binding

transport=Http://schemas.xmlsoap.org/wsdl/soap/?style="document"/>

C. <soap:binding

transport=Http://schemas.xmlsoap.org/soap/http?style="document"/>

D. <soap:binding

transport=Http://schemas.xmlsoap.org/soap?style="rpc"/>

Answer: C

14. Which three can an EJB-based endpoint use? (Choose three.)

A. HTTP sessions

B. Java EE 5 declarative security

C. Java EE 5 programmatic security

D. client-demarcated transactions

E. container-managed transactions

Answer: BCE

15. A company's new investment management Java application and a legacy stock trader application need to communicate, but they use different JMS implementations. A developer decides to implement a JMS bridge to solve the problem.

Which two advantages does this pattern provide? (Choose two.)

A. It converts the interface of a class into another interface that clients expect.

B. It decouples an abstraction from its implementation so that the two can vary independently.

C. It dynamically attaches additional responsibilities to an object.

D. It optimizes network traffic.

E. It is vendor independent.

Answer: BE

16. Which two statements are true about XML schemas that conform to WS-I Basic Profile 1.1? (Choose two.)

A. A description may use any construct from XML Schema.

B. A description may use any construct of XML Schema, except for arrays.

C. A description must use XML Schema recommendations as the basis of user-defined datatypes and structures.

D. A description may use any construct of XML Schema, except for defining user-defined datatypes and structures.

E. RESTful XML schemas may also draw from the XML-Rest Schema.

Answer: AC

17. A developer is creating a servlet-based endpoint for a new payroll application.

What are three requirements for the service? (Choose three.)

A. It needs to be packaged as a WAR file.

B. It needs to be packaged as a JAR file.

C. It requires a META-INF folder.

D. It requires a WEB-INF folder.

E. webservices.xml is required.

F. web.xml is required.

Answer: ADF

18. A developer needs to define an array of long integers in their Basic Profile compliant Web service and is given the following code fragment for analysis:

```

<Schema targetNamespace="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:wSDL="http://schemas.xmlsoap.org/wSDL">
<!-- insert code here -->
</schema>

```

Assume all XML fragments are well-formed.

According to the WS-I Basic Profile 1.1, which type definition can be used to define an array of longs?

A. <xsd:complexType name="longArray">

```

<xsd:array>
<xsd:element name="item" type="xsd:long"/>
</xsd:array>
</xsd:complexType>

```

B. <xsd:complexType name="longArray">

```

<xsd:sequence>
<element name="item" type="xsd:long"/>
</xsd:sequence>
</xsd:complexType>

```

C. <xsd:complexType name="longArray">

```

<xsd:array>
<xsd:element name="item" type="xsd:long" minOccurs="0"
maxOccurs="unbounded"/>
</xsd:array>
</xsd:complexType>

```

D. <xsd:complexType name="longArray">

```

<xsd:sequence>
<xsd:element name="item" minOccurs="0" maxOccurs="5"
type="xsd:long"/>
</xsd:sequence>
</xsd:complexType>

```

E. <xsd:complexType name="longArray">

```

<xsd:sequence>
<xsd:element name="item" minOccurs="0" maxOccurs="5"
type="xsd:integer"/>
</xsd:sequence>
</xsd:complexType>

```

Answer: D

19. What are three benefits of using SSL to connect to a Web service without mutual authentication? (Choose three.)

- A. The server is assured of the client's identity if the client issues the certificate.
- B. The client is assured of the server's identity.
- C. Message integrity is preserved between the client and the server.
- D. The communication between the client and the server is still logged.
- E. The communication between the client and the server is encrypted.
- F. Using SSL over HTTP incurs less overhead than HTTPS.

Answer: BCE

20. Which fragment is Basic Profile 1.1 compliant?

```

A. <port name="testWS"> <operation name="runit">
<input message="tns:runit"/>
<output message="tns:runitResponse"/>
</operation>
</port>

```

```
<binding name="testWSPortBinding" type="tns:testWS">
```

```
.
```

```
.
```

```
.
```

```
<operation name="runit">
```

```
<soap:operation soapAction="tns:runit"/>
```

```
<input>
```

```
<soap:body use="literal"/>
```

```
</input>
```

```
<output>
```

```
<soap:body use="literal"/>
```

```
</output>
```

```
</operation>
```

```
</binding>
```

```
B. <portType name="testWS">
```

```
<operation name="runit">
```

```
<input message="tns:runit"/>
```

```
<output message="tns:runitResponse"/>
```

```
</operation>
```

```
<operation name="saveit">
```

```
<input message="tns:saveit"/>
```

```
<output message="tns:saveitResponse"/>
```

```
</operation>
```

```
</portType>
```

```
<binding name="testWSPortBinding" type="tns:testWS">
```

```
.
```

```
.
```

```
.
```

```
<operation name="runit">
```

```
<soap:operation soapAction="tns:runit"/>
```

```
<input>
```

```
<soap:body use="literal"/>
```

```
</input>
```

```
<output>
```

```
<soap:body use="literal"/>
```

```
</output>
```

```
</operation>
```

```
</binding>
```

```
C. <port name="testWS">
```

```
<operation name="runit">
```

```
<input message="tns:runit"/>
```

```
<output message="tns:runitResponse"/>
```

```
</operation>
```

```
</port>
```

```
<binding name="testWSPortBinding" type="tns:testWS">
```

```
.
```

```
.
```

```
.
```

```
<operation name="runit">
```

```
<soap:operation soapAction="runit"/>
```

```
<input>
```

```
<soap:body use="literal"/>
```

```
</input>
```

```

<output>
<soap:body use="literal"/>
</output>
</operation>
</binding>
D. <portType name="testWS">
<operation name="runit">
<input message="tns:runit"/>
<output message="tns:runitResponse"/>
</operation>
</portType>
<binding name="testWSPortBinding" type="tns:testWS">

```

```

.
.
.
<operation name="runit">
<soap:operation soapAction="runit"/>
<input>
<soap:body use="literal"/>
</input>
<output>
<soap:body use="literal"/>
</output>
</operation>
</binding>

```

Answer: D

More [310-230 practice test](#)

Related 310-230 Exams

310-061	SUN CERTIFIED ENTERPRISE ARCHITECT FOR J2EE™. PATR III
310-610	EDS Certified Sun Fire Workgroup Administrator
310-230	Sun Certified Developer for Java Web Services
310-345	Sun Certified System Administrator for Sun Cluster 3.2
310-810	Sun Certified MySQL 5.0 Database Administrator Part 1
310-600	SUN SIGMA BLACK BELT CERTIFICATION
310-052	Sun Certified Enterprise Architect for J2EE 5
310-051	SUN CERTIFIED ENTERPRISE ARCHITECT FOR J2EE(tm) TECHNOLOGY
310-620	EDS Certified Sun Enterprise 10K Server Administrator
310-105	Sun Certified Solaris Associate
310-203	Sun Certified System Admin for Solaris 10 OS Upgrade
310-066	Upgrade EXAM for the Sun Certified for Java Programmer.SE6.0
310-811	Sun Certified MySQL 5.0 Database Administrator Part II
310-019	Sun Certified Associate.Java Platform.Se. Exam Version 1.0
310-330	Sun Certified Systems Installer for Sun Cluster 3.X
310-231	Sun Certified Developer for Java Web Services 5
412-600	SUN Certified OpenOffice.org Writer Specialist
310-062	Sun Certified Enterprise Architect for the Java Platform, Enterprise Edition 5

310-400 Sun Certified Integrator for Identity Manager 7.1

310-150 SUN CERTIFIED BACKUP AND RECOVERY ENGINEER

Other SUN Exams

<u>310-810</u>	<u>310-084</u>	<u>310-620</u>	<u>310-220</u>	<u>310-876</u>	<u>212-056</u>	<u>212-066</u>	<u>310-110</u>
<u>212-105</u>	<u>212-055</u>	<u>310-879</u>	<u>212-200</u>	<u>310-100</u>	<u>310-230</u>	<u>310-092</u>	<u>310-150</u>
<u>310-</u>	<u>310-</u>	<u>310-035</u>	<u>310-012</u>				
<u>610Big5</u>	<u>055Big5</u>						