

## **HH0-440 Practice Test**

### **Hitachi Storage Architect - Performance & Virtualization**

**HH0-440: Storage Architect - Performance & Virtualization**

**Practice Exam:** HH0-440 Exams

**Exam Number/Code:** HH0-440

**Exam Name:** Storage Architect - Performance & Virtualization

**Questions and Answers:** 118 Q&As

**( Hitachi Data Systems )**



Exam : [HH0-440](#)

For candidates making preparation for the Hitachi HH0-440 questions and answers, what they most desire is to easily pass the HH0-440 (Storage Architect - Performance & Virtualization) exam. ItCertHome HH0-440 includes 118 questions and answers, which are collected and collated by experts of Hitachi. With our HH0-440 study materials, you can successfully take Hitachi certification of HH0-440 exam and go further on Hitachi career path.

#### **Free HH0-440 Demo**

we provide Hitachi HH0-440 demo exam for free (in PDF format ) before you decide to purchase it. Thus,you can know better about the quality of our practice exam and then make your right decision.

#### **ItCertHome Test tool's advantages:**

##### **High Quality and Value of HH0-440 exam**

ItCertHome Hitachi Hitachi Data Systems HH0-440 Practice Questions is developed and finished by Hitachi technical team , cover every field of the exam . Besides, we have verified HH0-440 answers,almost 100% correct.

##### **100% Guarantee to Pass HH0-440 Exam**

We promise to give you FULL REFUND if you fail the Hitachi Data Systems HH0-440 certification(Hitachi Certified Network Associate) with the use of our ItCertHome testing engine.

##### **HH0-440 Self Test Mode**

ItCertHome provides a simulated and interactive environment where you can test your knowledge and skills about HH0-440 to ensure enough assurance in real testing center.

##### **Periodic Updates of ItCertHome HH0-440**

Once there is some change on Hitachi HH0-440 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

##### **Professional and Efficient Service**

We offer 7\*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

The Questions & Answers cover the latest real test and with all the correct answer.we promise the Q&A for **Hitachi Hitachi Data Systems HH0-440** examination of original title complete coverage.ItCertHome **HH0-440 Braindumps** Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

### **We promised that use ItCertHome Q&A ensure you pass the exam at your first try.**

1. The Q&A are from cooperation exam center of the real original title,summaried by our professional team and collated by senior IT lectured in co-training center to make sure the professional quality of the Q&A.The correctly of the Q&A is 100%, the coverage of HH0-440 Q&A are more than 96%.All you need to study the whole HH0-440 Q&A before you participate the certification exam,it should be possible to easily complete the exam and pass the certification.

2. ItCertHome to all the Q&A, we promised "do not pass the exam give you a full refund". If you buy our HH0-440 Q&A and did not pass the exam at the first try. You can take the examination report card that stamped with PROMETRIC or VUE test centers Seal. we will refund your full cost of HH0-440 Q&A, absolutely guarantee you interests have no losses.(For a full refund details)

3. ItCertHome professional IT Q&A vendors, we provide well after-sale service. To all the customers buy the Q&A, we provide track service. when you buy the Q&A with in one year. you can enjoy the upgrade Q&A service for free. If in this period, the certified test center change the HH0-440 Q&A, we will update the Q&A in the first time, and provide you the download update for free.

**Hitachi HH0-440** Test belongs to one of the Hitachi Data Systems certified test, if needs to obtain the Hitachi Data Systems certificate, you also need to participate in other related test, the details you may visit the Hitachi Data Systems certified topic, in there, you will see all related Hitachi Data Systems certified subject of examination.

HH0-440

ItCertHome professional provide Hitachi Data Systems HH0-440 the newest Q&A, completely covers HH0-440 test original topic. With our complete Hitachi Data Systems resources, you will minimize your Hitachi Data Systems cost and be ready to pass your HH0-440 tests on Your First Try, 100% Money Back Guarantee included!

This HH0-440 PDF demo do not include the questions and answers's picture:

Exam : Hitachi HH0-440

Title : Storage Architect - Performance & Virtualization

1. Which component in an enterprise back-end director (BED) assists performance with write and data recovery operations to a 7D+1P RAID5 array group?

- A.DRR RAID processors
- B.DKP/DKA processors
- C.back-end loops
- D.dedicated data paths from the BED to the cache switch

Answer: A

2. Which three statements are true for Hitachi Global Link Availability Manager (HGLAM)? (Choose three.)

- A.HGLAM manages multiple instances of Hitachi Dynamic Link Manager (HDLM).
- B.HGLAM assigns load balancing algorithms only at the server level.
- C.HGLAM can alert which server is impacted when a fabric switch goes down.
- D.HGLAM reports IO rate at the HBA level.
- E.HGLAM can report a USP cache failure.

Answer: ACD

3. Which Solaris MPXIO multi-pathing scheme should be used to avoid non-owning access with HDS modular storage systems?

- A.load\_balance\_none
- B.load\_balance\_rr
- C.load\_balance\_lba
- D.load\_balance\_fixed

Answer: A

4. Which three parameters indicate that LUN ownership access or changes may be causing a performance problem in an HDS modular storage system? (Choose three.)

- A.The total cache queue drops below 100% for any 1 minute measurement period.

- B.The cache free queue drops below 100% for any 1 minute measurement period.
- C.IOPS are recorded to the same LUN from different controllers over several measurement periods.
- D.The LUN C-CTL value does not match the D-CTL value.
- E.The Cache Write Pending level is at a high threshold level.

Answer: ACD

5. In the Universal Storage Platform (USP) family, what is the maximum number of external ports that one external LDEV can be attached to?

- A.2
- B.4
- C.8
- D.16

Answer: C

6. Which three actions will help to reduce the level of Write Pending data in cache during periods of intense random update processing? (Choose three.)

- A.Switch to faster disk drives.
- B.Migrate from RAID5 to RAID1.
- C.Spread the load across more RAID Groups.
- D.Spread the load across more ports.
- E.Spread the load across more LUNs.

Answer: ABC

7. Which level of Write Pending is normal for a busy OLTP Universal Storage Platform (USP) system adequately managing the destaging of writes?

- A.0% to 20%
- B.20% to 30%
- C.30% to 40%
- D.40% to 50%

Answer: B

8. Which three key metrics are needed for sizing industry standard applications? (Choose three.)

- A.IO read/write ratios
- B.port speed
- C.IO rates and data transfer rates
- D.cache read hit ratios
- E.number of ACP/BED pairs

Answer: ACD

9. Which three actions provide a way of increasing the number of Tags available to a database volume in an enterprise storage system? (Choose three.)

- A.Build the volume across multiple LUNs with host-based logical volume manager striping.
- B.Construct the LUN using LUSE with LDEVs from different RAID Groups.
- C.Use a VDEV LUN from a VDEV striping pool (LDEV concatenation).
- D.Map the LUN across more host paths.
- E.Increase the HBA LUN Queue Depth value.

Answer: ADE

10. The performance of a response critical application generating a majority of 4 KB IOs has progressively deteriorated on a new modular storage system as unplanned development and general file serving workloads have been added. The system administrator is convinced that this is due to falling cache hit rates.

Which three actions will improve the cache hit rates of the response critical application? (Choose three.)

- A.Place the response critical application in its own cache partition.

- B. Upgrade the cache from 8 GB to 16 GB.
- C. Reduce the application cache partition segment size from 16 KB to 8 KB.
- D. Move the development and general file server workloads to another storage system.
- E. Move the development and general file server workloads to lower performance tier RAID Groups.

Answer: ABC

11. Performance monitor data indicates that CHP utilization may be causing a bottleneck in a Universal Storage Platform (USP) series system during periods of intense processing.

Which two actions should be considered to increase IOPS during the bottleneck periods? (Choose two.)

- A. Configure the paths using high-speed mode.
- B. Spread the load across more CHP processors and paths.
- C. Spread the load across more RAID Groups.
- D. Spread the load across more LUNs.

Answer: AB

12. Which two workloads gain a performance improvement by using Tagged Command Queuing? (Choose two.)

- A. multi-user transaction database access
- B. sequential, single-threaded scan
- C. archival writes to tape drive
- D. corporate mail and notes server

Answer: AD

13. Which VMware multi-pathing scheme should be used to avoid non-owning access with HDS modular storage systems with multiple VMware servers?

- A. Most Recently Used (MRU)
- B. Fixed
- C. Round-Robin
- D. Extended Round-Robin

Answer: B

14. Which two techniques can be used in an HDS modular array to ensure maximum throughput (MB/s) in a large block application such as oil exploration analysis, medical, or video file storage? (Choose two.)

- A. Build the RAID Groups so that all the back-end loops have the same number of disks.
- B. Build the RAID Groups vertically so that all disks in the same slot position are in the same RAID Group.
- C. Use LUSE to build volumes that are spread across multiple RAID Groups.
- D. Use host based striping to distribute the load across both controllers.

Answer: AD

15. The performance of an audio streaming modular storage system has deteriorated as more streams have been added. Audio streaming is the only workload on the array and the store consists of many thousands of separate audio files. Cache hit rates drop quickly as several streams are started.

Which two will improve the prefetch for the audio but prevent prefetch taking place for the directory accesses?

(Choose two.)

- A. multi-stream mode
- B. count of sequential judgment
- C. high speed write mode
- D. disable verify after write

Answer: AB

16. Click the Exhibit button.

Which three conditions are likely causes for the write pending rates illustrated in the exhibit? (Choose three.)

- A. insufficient cache
- B. loss of redundancy in write cache

- C.heavy random writes to RAID5
- D.heavy random writes to SATA drives
- E.failure to distribute workload among sufficient array groups

Answer: CDE

17. Which three metrics aid in calculating how long a block of data remains available in cache after its last access? (Choose three.)

- A.IOPS rate into the cache partition or storage system
- B.number of available cache segments
- C.the cache hit rate
- D.average response time
- E.average LUN queue size

Answer: ABC

18. Which three parameters will help to calculate a server's maximum LUN queue depth to avoid the risk of SCSI timeouts? (Choose three.)

- A.The number of active LUNs mapped to a storage port.
- B.The number of active servers in the cluster accessing the active LUNs.
- C.The number of command tags supported by the storage port.
- D.The number of disk drives supporting the LUN configuration.
- E.The total number of LUNs mapped to the storage port.

Answer: ABC

19. Which two metrics indicate that a modular storage system is receiving write IOPS much faster than they can be destaged or written to disk, and that inflow control has occurred? (Choose two.)

- A.Cache Write Pending is at a high threshold limit.
- B.Port Write Hit Rate % is less than 100.
- C.The number of Write IOPS is higher than the number of Read IOPS.
- D.The Write MB/s throughput is greater than the Read MB/s throughput.

Answer: AB

20. Solaris IOSTAT shows that response times are degrading for a number of LUNs and that these LUNs are 100% busy. The active queue values are in a range up to, but not exceeding 8, and the wait queue values are in the range from 0 to 5 when the active queue is 7 or 8.

Which condition is implied by these values?

- A.These are normal values for busy LUNs with a LUN queue depth of 8.
- B.There are no more Tags available on this storage port due to heavy IO load.
- C.There are no more Tags available for these LUNs at the port due to heavy IO load.
- D.The HBA LUN queue depth is set incorrectly.

Answer: A

More [HH0-440 practice test](#)

### Related HH0-440 Exams

[hh0-120](#) Hitachi Data Systems Storage Foundations - Modular Exam

[hh0-110](#) Hitachi Data Systems Storage Foundations - Enterprise Exam

[HH0-210](#) HDS Certified Implmenter-Enterprise

[HH0-220](#) HDS Certified Implmenter-Modular

[HH0-400](#) Hitachi Data System Architect-Business Continuity

[HH0-280](#) HDS Implemetation Specialist - Storage Management

[HH0-440](#) Storage Architect - Performance & Virtualization

HH0-270 HDS Implmenetation Specialist-Business Continuity Exam

HH0-330 HDS Storage Manager-Business Continuity Enterprise

HH0-380 Hitachi Data Systems Architect - Business Continuity

HH0-340 Hitachi Data Systems Storage Manager-Storage Management

HH0-015 TagmaStore NSC-Installation and Configuration

HH0-005 TagmaStore AMS and WMS-Installation and Configuration

HH0-240 HDS Storage Manager-Business Continuity Modular

hh0-200 certified modular integration specialist exam

HH0-230 HDS Storage Manager-Business Continuity Enterprise

HH0-020 Adaptable Modular Storage 2000 Family Install and Config

HH0-250 Hitachi Data Systems Implementer File Services-NAS

### **Other Hitachi Exams**

HH0-230    HH0-270    hh0-200    HH0-020    HH0-220    HH0-210    HH0-015    HH0-250

hh0-110    hh0-120    HH0-340    HH0-005    HH0-240    HH0-280    HH0-380    HH0-330

HH0-440    HH0-400